საქართველოს სტანდარტი

ხანძარსაწინააღმდეგო გამოცდები - ნაწილი 1: საერთო მოთხოვნები

საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტო თბილისი

საინფორმაციო მონაცემები

- 1 **შემუშავებულია** საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ
- 2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს 2019 წლის 29 ოქტომბრის № 82 განკარგულებით
- **3 მიღებულია გარეკანის თარგმნის მეთოდით** სტანდარტიზაციის ევროპული კომიტეტის სტანდარტი ენ 1363-1:2012 ,, ხანძარსაწინააღმდეგო გამოცდები ნაწილი 1: საერთო მოთხოვნები"

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2019 წლის 29 ოქტომბერი №268-1.3-015560

დაუშვებელია წინამდებარე სტანდარტის სრული ან ნაწილობრივი კვლავწარმოება, ტირაჟირება და გავრცელება სსიპ საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1363-1

July 2012

ICS 13.220.50

Supersedes EN 1363-1:1999

English Version

Fire resistance tests - Part 1: General Requirements

Essais de résistance au feu - Partie 1: Exigences générales

Feuerwiderstandsprüfungen - Teil 1: Allgemeine Anforderungen

This European Standard was approved by CEN on 9 June 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	vord	
Introd	uction	
1	Scope	7
2	Normative references	7
3	Terms, definitions, symbols and designations	8
3.1	Terms and definitions	8
3.2	Symbols and designations	10
4	Test equipment	
4.1	General	
4.2	Furnace	
4.3	Loading equipment	
4.4	Test frames	
4.5 4.5.1	Instrumentation	
4.5.1 4.5.2	Temperature Pressure	
4.5.2 4.5.3	Load	
4.5.4	Deflection	
4.5.5	Integrity	
4.6	Precision of measuring equipment	
5	Test conditions	14
5.1	Furnace temperature	
5.1.1	Heating curve	
5.1.2	Tolerances	
5.2	Furnace pressure	
5.2.1	General	
5.2.2	Establishing the neutral pressure plane	
5.3	Furnace atmosphere	
5.4 5.5	Loading	
5.5 5.6	Restraint/boundary conditionsAmbient temperature conditions	
5.6 5.7	Deviation from required test conditions	
_	·	
6 6.1	Test specimen(s)	
6.1 6.2	Number	
6.2.1	Separating elements	
6.2.2	Non-separating elements	
6.3	Design	
6.4	Construction	
6.5	Verification	18
7	Installation of test specimen	18
7.1	General	
7.2	Supporting constructions	
7.2.1	General	18
7.2.2	Standard supporting constructions	
7.2.3	Non-standard supporting constructions	21
8	Conditioning	21
8.1	Test specimen	

Page

8.2	Supporting constructions	.21
9	Application of instrumentation	
9.1	Thermocouples	.21
9.1.1 9.1.2	Furnace thermocouples (plate thermometers)	
9.1.2	Internal thermocouples	
9.2	Pressure	
9.2.1	General	
9.2.2 9.2.3	Furnaces for vertical elements	
9.2.3 9.3	Furnaces for horizontal elements	
10 10.1	Test procedureRestraint application	
10.1	Load application	
10.3	Commencement of test	
10.4	Measurements and observations	
10.4.1 10.4.2	General Temperatures	
10.4.2	Furnace pressure	
10.4.4	Deflection	. 25
10.4.5	Integrity	
10.4.6 10.4.7	Load and restraints	
10.4.7	Termination of test	
11 11.1	Performance criteriaLoadbearing capacity	
11.2	Integrity	
11.3	Insulation	
11.4	Consequential effects of failing certain performance criteria	
11.4.1 11.4.2	Insulation and integrity versus loadbearing capacity	. Zŏ
	Insulation versus integrity	
	Insulation versus integrity	.28
12	Test report	. 28 . 28
	.	. 28 . 28 . 28
12 12.1 12.2	Test report Test report Expression of test results in the test report	. 28 . 28 . 28 . 30
12 12.1 12.2	Test report Test report	. 28 . 28 . 28 . 30 . 39
12 12.1 12.2 Annex A.1 A.2	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General Field of direct application	. 28 . 28 . 30 . 39 . 39
12 12.1 12.2 Annex A.1	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General	. 28 . 28 . 30 . 39 . 39
12 12.1 12.2 Annex A.1 A.2 A.3	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General Field of direct application Extended application B (informative) The role of supporting constructions	. 28 . 28 . 30 . 39 . 39 . 39
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General Field of direct application Extended application B (informative) The role of supporting constructions	.28 .28 .30 .39 .39 .39
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2	Test report	.28 .28 .30 .39 .39 .39 .40 .40
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3	Test report	.28 .28 .30 .39 .39 .39 .40 .40
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3	Test report	.28 .28 .30 .39 .39 .40 .40 .40
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3	Test report	.28 .28 .30 .39 .39 .40 .40 .40
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General Field of direct application Extended application B (informative) The role of supporting constructions. General Standard supporting constructions Non-standard supporting constructions C (informative) General information on thermocouples Furnace thermocouples (plate thermometers) Maintenance Positioning	.28 .28 .30 .39 .39 .40 .40 .40 .42 .42 .42
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2	Test report	.28 .28 .30 .39 .39 .40 .40 .42 .42 .42
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2 C.2 C.2.1	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General Field of direct application Extended application B (informative) The role of supporting constructions General Standard supporting constructions Non-standard supporting constructions C (informative) General information on thermocouples Furnace thermocouples (plate thermometers) Maintenance Positioning Internal thermocouples General	.28 .28 .30 .39 .39 .40 .40 .42 .42 .42 .42
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2 C.2 C.2.1	Test report	.28 .28 .30 .39 .39 .40 .40 .42 .42 .42 .42
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2 C.2 C.2.1 C.2.2 C.2.3 C.3	Test report Test report Expression of test results in the test report A (informative) Field of application of test results General Field of direct application Extended application B (informative) The role of supporting constructions General Standard supporting constructions Non-standard supporting constructions C (informative) General information on thermocouples Furnace thermocouples (plate thermometers) Maintenance Positioning Internal thermocouples General	.28 .28 .30 .39 .39 .40 .40 .42 .42 .42 .42 .42
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2 C.2 C.2.1 C.2.2 C.2.3 C.3.3	Test report	.28 .28 .30 .39 .39 .40 .40 .42 .42 .42 .42 .42 .43 .43
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2 C.2 C.2.1 C.2.2 C.2.3 C.3.1 C.3.2	Test report	.28 .28 .30 .39 .39 .40 .40 .40 .42 .42 .42 .42 .42 .43 .43
12 12.1 12.2 Annex A.1 A.2 A.3 Annex B.1 B.2 B.3 Annex C.1 C.1.1 C.1.2 C.2 C.2.1 C.2.2 C.2.3 C.3.1 C.3.2 C.3.3	Test report	. 28 . 28 . 30 . 39 . 39 . 40 . 40 . 42 . 42 . 42 . 42 . 42 . 42 . 43 . 43 . 43

D.1	General	46
0.2	Options for selecting the test load	46
Annex	E (informative) Boundary and support conditions	47
Annex	F (informative) Guidance on conditioning	48
₹.1	General	
- .2	Guidance on procedures for conditioning	
=.3	Guidance on measurement techniques	
F.3.1	Direct reading moisture meter.	
3.2	Oven drying techniques	49
Annex	G (informative) Guidance on deflection measurements of vertical separating elements	
	using a fixed datum	50
3.1	General	50
3.2	Apparatus	50
3.3	Procedure	50
G.4	Reporting	
3ibliog	raphy	52

Foreword

This document (EN 1363-1:2012) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2013, and conflicting national standards shall be withdrawn at the latest by January 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1363-1:1999.

The main changes compared to EN 1363-1:1999 are:

- a) a tolerance is specified for the thickness of the thermocouple wire in the furnace thermocouple;
- b) a small variation to the layout of the unexposed surface thermocouples;
- c) a tolerance to the maximum pressure is specified;
- d) a redefinition of standard supporting constructions;
- e) a change to the required distance of thermocouples to a discontinuity from 15 mm into 20 mm;
- f) a redefinition of the commencement of the fire test;
- g) a redefinition for the load bearing capacity criterion;
- h) specifications for the short form test report are removed.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This European Standard is technically related to ISO 834-1 prepared by ISO/TC92/SC2 "Fire resistance tests".

EN 1363, Fire resistance tests, consists of the following parts:

- Part 1: General requirements (this European Standard);
- Part 2: Alternative and additional procedures;
- Part 3: Verification of furnace performance (published as an ENV).

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The objective of determining fire resistance is to assess the behaviour of a specimen of an element of building construction when subjected to defined heating and pressure conditions. The method provides a means of quantifying the ability of an element to withstand exposure to high temperatures. It does so by setting criteria against which the loadbearing capacity, the fire containment (integrity) and the thermal transmittance (insulation) functions amongst other characteristics can be evaluated.

A representative sample of the element is exposed to a specified regime of heating and the performance of the test specimen is monitored on the basis of criteria described in the standard. Fire resistance of the test element is expressed as the time for which the appropriate criteria have been satisfied. The times so obtained are a measure of the adequacy of the construction in a fire; but they have no direct relationship with the duration time of a real fire.

Caution

The attention of all persons concerned with managing and carrying out fire resistance testing is drawn to the fact that fire testing might be hazardous and that there is a possibility that toxic and/or harmful smoke and gases will be emitted during the test. Mechanical and operational hazards might also arise during the construction of the test elements or structures, their testing and disposal of test residues.

An assessment of all potential hazards and risks to health needs to be made and safety precautions need to be identified and provided. Written safety instructions will be issued. Appropriate training will be given to relevant personnel. Laboratory personnel will ensure that they follow written safety instructions at all times.

Uncertainty of measurement of fire resistance

There are many factors which can affect the result of a fire resistance test. Those concerned with the variability of the specimen including its materials, manufacture and installation are not related to the uncertainty of measurement. Of the remainder, some, such as the different thermal dose provided by different furnaces, are much more significant than others such as the accuracy of calibration of the data logging system.

Because of the very labour intensive nature of the test, many of the factors that have a bearing on the result are operator-dependent. The training, experience and attitude of the operator is thus crucial to eliminate such variables which can significantly affect the degree of uncertainty of measurement. Unfortunately, it is not possible to numerically quantify these factors and therefore any attempt to determine uncertainty of measurement that does not take into account operator-dependent variables is of limited value.