

## საქართველოს სტანდარტი

---

სსკ: 13.060.50

წყლის ხარისხი - ბიოქიმიური ჟანგბადის მოთხოვნის განსაზღვრა  
განუსაზღვრელი დღეების შემდეგ (BOD<sub>n</sub>) - ნაწილი 2: მეთოდი განუზავებელი  
ნიმუშებისათვის

## სსტ ისო 5815-2:2003/2020

### საინფორმაციო მონაცემები

1 მიღებულია და დაშვებულია სამოქმედოდ: სსიპ-საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს გენერალური დირექტორის 07/12/2020 წლის № 118 განკარგულებით

2 მიღებულია „თავფურცლის“ თარგმნის მეთოდით: სტანდარტიზაციის საერთაშორისო ორგანიზაციის (ისო) სტანდარტი ისო 5815-2:2003 „წყლის ხარისხი - ბიოქიმიური ჟანგბადის მოთხოვნის განსაზღვრა განუსაზღვრელი დღეების შემდეგ (BOD<sub>n</sub>) - ნაწილი 2: მეთოდი განუზავებელი ნიმუშებისათვის“

### 3 პირველად

4 რეგისტრირებულია: სსიპ-საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 07/12/2020 წლის №268-1.3-019293

წინამდებარე სტანდარტის ნებისმიერი ფორმით გავრცელება სააგენტოს ნებართვის გარეშე აკრძალულია

---

---

**Water quality — Determination of  
biochemical oxygen demand after  $n$  days  
(BOD <sub>$n$</sub> ) —**

**Part 2:  
Method for undiluted samples**

*Qualité de l'eau — Détermination de la demande biochimique en  
oxygène après  $n$  jours (DBO <sub>$n$</sub> ) —*

*Partie 2: Méthode pour échantillons non dilués*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword .....	iv
Introduction .....	v
1 Scope.....	1
2 Normative references .....	1
3 Terms and definitions .....	2
4 Principle .....	2
5 Apparatus.....	2
6 Storage of the sample.....	3
7 Procedure.....	3
7.1 Preparation of test solutions .....	3
7.2 Procedure.....	3
8 Calculation and expression of results .....	4
9 Test report.....	4
Annex A (informative) Alternative incubation periods and temperatures .....	6
Annex B (informative) Modifications for specific evaluations .....	8
Annex C (informative) Trueness and precision .....	11
Bibliography .....	13

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 5815-2 was prepared by Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 2, *Physical, chemical and biochemical methods*.

This first edition of ISO 5815-2, together with ISO 5815-1, cancels and replaces ISO 5815:1989, which has been technically revised.

ISO 5815 consists of the following parts, under the general title *Water quality — Determination of biochemical oxygen demand after  $n$  days ( $BOD_n$ )*:

- *Part 1: Dilution and seeding method with allythiourea addition*
- *Part 2: Method for undiluted samples*

ISO 5815-2 is the equivalent of European Standard EN 1899-2.

საინფორმაციო ნაწილი. სრული ტექსტის სახსრად შეიძლება სტანდარტი.

## Introduction

This part of ISO 5815 is intended for analysis of biochemical oxygen demand (BOD) in waters with a BOD in the range 0,5 mg/l to 6 mg/l of oxygen.

The times of incubation specified in this part of ISO 5815 are 5 days, as in ISO 5815:1989 and as applied in many European countries, or 7 days, as applied in several Nordic countries for many years. The 7-day incubation typically gives higher BOD results than the 5-day incubation.

With an incubation period of 5 days, weekend work can only be avoided if samples are collected Wednesdays, Thursdays or Fridays. With an incubation period of 7 days, samples collected on the first five weekdays can be analysed without implying weekend work. For this reason, a 7-day incubation period can be considered more convenient than the conventional 5-day incubation.

A new, modified 7-day incubation period is described in Annex A. Early investigations indicate that BOD results obtained by this modified method are identical to results obtained by the 5-day method described in the main text of this part of ISO 5815. It is hoped that more comparative data on these two incubation methods will be obtained during the coming years, so that the modified 7-day incubation method can be included fully at the time of review and revision of this part of ISO 5815.

For the determination of  $BOD_n$  of water samples, the respirometric method described in ISO 9408 may also be used.

In this part of ISO 5815, the limit of determination,  $D_L$ , is defined as

$$D_L = t_{0,95(f)} \cdot 2 \cdot s_B \cdot \sqrt{1 + \frac{1}{n}} \quad (1)$$

where

$s_B$  is the within-series standard deviation;

$t_{0,95(f)}$  is the Student  $t$ -value;

$f$  is the degrees of freedom for the determination of  $s_B$ ;

$n$  is the number of analyses for determination of the blank in an analytical series;

$s_B$  is calculated from determinations of real samples with a BOD content near the estimated  $D_L$ .

In cases where the analytical method does not require any blank correction, the term

$$\sqrt{1 + \frac{1}{n}} \quad (2)$$

is omitted.