

საქართველოს სტანდარტი

სსკ: 13.080.10

ნიადაგის ხარისხი - პოტენციური ტევადობის კატიონური მიმოცვლის (CEC)
განსაზღვრა და ურთიერთშენაცვლებადი კატიონები ბუფერირებული pH 7-ზე,
ამონიუმის აცეტატის მოლური ხსნარის გამოყენებით

საინფორმაციო მონაცემები

1 მიღებულია და დაშვებულია სამოქმედოდ: სსიპ-საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს გენერალური დირექტორის 17/09/2024 წლის № 65 განკარგულებით

2 მიღებულია „თავფურცლის“ თარგმნის მეთოდით: სტანდარტიზაციის საერთაშორისო ორგანიზაციის (ისო) სტანდარტი ისო/ტს 22171:2023 „ნიადაგის ხარისხი - პოტენციური ტევადობის კატიონური მიმოცვლის (CEC) განსაზღვრა და ურთიერთშენაცვლებადი კატიონები ბუფერირებული pH 7-ზე, ამონიუმის აცეტატის მოლური ხსნარის გამოყენებით“

3 პირველად

4 რეგისტრირებულია: სსიპ-საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 17/09/2024 წელი №268-1.3-038660

**Soil quality — Determination of
potential cation exchange capacity
(CEC) and exchangeable cations
buffered at pH 7, using a molar
ammonium acetate solution**

*Qualité du sol — Détermination de la capacité d'échange cationique
(CEC) potentielle et de la teneur en cations échangeables, à l'aide
d'une solution molaire d'acétate d'ammonium tamponnée à pH 7*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Reagents	1
6 Apparatus	3
7 Laboratory samples	4
8 Procedure	4
8.1 Test portion.....	4
8.2 Extraction step.....	4
8.3 Ammoniacal nitrogen assay by continuous flow spectrophotometry.....	5
8.3.1 Apparatus set-up.....	5
8.3.2 Assays.....	6
8.4 Expression of results.....	7
9 Test report	7
Bibliography	8

საინფორმაციო ნაწილი. სრული ტექსტის სახსრად შეიძენი სტანდარტი.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 3, *Chemical and physical characterization*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

Introduction

Cation exchange capacity (CEC) is an intrinsic property of soil defining the concentration of negatively charged sites on soil colloids that can adsorb exchangeable cations. Cation exchange capacity can be a good indicator of soil productivity and is useful for making recommendations of phosphorus (P), potassium (K), and magnesium (Mg) if testing soils of different textures. Cation exchange capacity is also used for regulatory purposes in monitoring land application of biosolids.

Cation exchange capacity is a measure of exchangeable bases and soil acidity at some specific soil pH. The exchangeable bases and acidity neutralize negative charges arising from permanent charges due to isomorphic substitution in clays, or pH-dependent charges from hydroxyl groups on clay and oxides or carboxyl groups on soil organic matter. A common method for determining CEC uses 1 M ammonium acetate at pH 7 (neutral NH_4OAc) and is a standard method used for soil surveys by the Natural Resource Conservation Service.^{[6],[7]} An advantage of CEC measured at a constant pH of 7 is elimination of CEC variability due to differences in soil pH. Thus, comparisons of CEC can occur across varied soil types and lime applications. A disadvantage of the neutral NH_4OAc method is that it may not provide a realistic depiction of the actual CEC at the natural pH of the soil, particularly with soils having considerable pH-dependent charge and a soil pH that is significantly different from 7. An unbuffered salt extract can be used to determine CEC at the natural pH of soil, for example, by using a hexamminecobalt(III)-chloride solution (see ISO 23470, References [6] and [7]).

The method described here determines potential cation exchange capacity (CEC) buffered at pH 7 and exchangeable cations Ca, Mg, K, and Na. Molar ammonium acetate is added to soil to saturate exchange sites with NH_4^+ and release exchangeable cations in a leachate which are measured. The exchanged NH_4^+ is then released either with 1 M KCl or 1 M NaCl and measured to quantify the potential cation exchange capacity at pH 7.

Ammonium acetate, due to its complexing effect, can contribute to the dissolution of part of soil carbonates and other salts present in the soil. Calcium concentrations (or even magnesium) are thus no longer limited to exchangeable quantities. Presence of other soluble salts such as gypsum, sodium chloride or else would also inflate exchangeable cation quantities.