

## საქართველოს სტანდარტი

---

ალის განმმუხტველი - მოთხოვნები. გამოცდის მეთოდები და ლიმიტები  
(ისო 16852:2016) გამოყენებისათვის

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

საქართველოს სტანდარტებისა და მეტროლოგიის  
ეროვნული სააგენტო  
თბილისი

სსტ ენ ისო 16852:2016/2017

საინფორმაციო მონაცემები

1 შემუშავებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს 2017 წლის 27 დეკემბრის № 104 განკარგულებით

3 მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტიზაციის ევროპული კომიტეტის სტანდარტი ენ ისო 16852:2016 „ ალის განმმუხტველი - მოთხოვნები. გამოცდის მეთოდები და ლიმიტები (ისო 16852:2016) გამოყენებისათვის”

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2017 წლის 27 დეკემბერი №268-1.3-012509

აკრძალულია ამ სტანდარტის გადაცემა მესამე პირებისათვის ან/და მისი სხვა ფორმით გავრცელება

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

English Version

## Flame arresters - Performance requirements, test methods and limits for use (ISO 16852:2016)

Arrête-flammes - Exigences de performance, méthodes  
d'essai et limites d'utilisation (ISO 16852:2016)

Flammendurchschlagsicherungen -  
Leistungsanforderungen, Prüfverfahren und  
Einsatzgrenzen (ISO 16852:2016)

This European Standard was approved by CEN on 19 September 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>
<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres.....</b>	<b>4</b>

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

## European foreword

This document (EN ISO 16852:2016) has been prepared by Technical Committee ISO/TC 21 “Equipment for fire protection and fire fighting” in collaboration with Technical Committee CEN/TC 305 “Potentially explosive atmospheres — Explosion prevention and protection” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2017, and conflicting national standards shall be withdrawn at the latest by May 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 16852:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 16852:2016 has been approved by CEN as EN ISO 16852:2016 without any modification.

**Annex ZA**  
(informative)

**Relationship between this European Standard and the Essential Requirements of EU Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres**

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

**Table ZA.1 — Correspondence between this European Standard and Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres**

Essential Requirements (ERs) of Directive 2014/34/EU	Clause(s)/subclause(s) of this EN	Qualifying remarks/Notes
1.0.1 Principles of integrated explosion safety	Clause 5; 6.2	
1.0.2 Design and manufacture considerations	6.2; 7.1	
1.0.3 Special checking and maintenance conditions	Annex C	
1.0.4 Surrounding area conditions	6.2	
1.0.5 Marking	12.2	
1.0.6 Instructions	7.4; 8.4; 9.3; 10.3; 12.1	
1.1.1 Operational stresses on material	6.2; 7.1; Annex C	
1.1.2 Reaction of material	6.2; Annex C	
1.1.3 Wear of material	6.2; 7.1	
1.2.1 Design and construction for safe operation	5.1; 6.2; 6.3; 6.4; 6.5; 7.1;	
1.2.3 Enclosed structures and prevention of leaks	6.6	
1.2.5 Additional means of protection	12.1	
1.2.8 Overloading of equipment	7.3.4; 10.1; 11.1	
1.2.9 Flameproof enclosure systems	6.3; 6.4; 7.3.2.3	

საინფორმაციო ნაწილი. სრული ტექსტის სახსრავად შეიძლება სტანდარტი.

1.3.1 Hazards arising from different ignition sources	6.2	
1.3.2 Hazards arising from static electricity	Annex B; Annex C	
1.4.1 External effects	6.2	
1.4.2 Mechanical, thermal and chemical stresses	6.2	
1.6.4 Hazards arising from connections	6.4	
3.0.1 Dimensioning	6; 7; 8; 9; 10; 11	
3.0.2 Design and position	6; 7; 8; 9; 10; 11	
3.1.2 Shock waves	6.5; 7.3.3	

**WARNING** — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

# INTERNATIONAL STANDARD

# ISO 16852

Second edition  
2016-10-15

---

---

## Flame arresters — Performance requirements, test methods and limits for use

*Arrête-flammes — Exigences de performance, méthodes d'essai et  
limites d'utilisation*



Reference number  
ISO 16852:2016(E)

© ISO 2016





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

Page

Foreword.....	v
Introduction.....	vii
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Abbreviated terms and symbols.....</b>	<b>5</b>
<b>5 Hazards and flame arrester classifications.....</b>	<b>6</b>
5.1 Flame transmission: deflagration, stable and unstable detonation.....	6
5.2 Flame transmission: stabilized burning.....	7
<b>6 General requirements.....</b>	<b>7</b>
6.1 Measuring instruments.....	7
6.2 Construction.....	7
6.3 Housings.....	7
6.4 Joints.....	8
6.5 Pressure test.....	8
6.6 Leak test.....	8
6.7 Flow measurement (air).....	8
6.8 Flame transmission test.....	8
6.8.1 General.....	8
6.8.2 Test mixtures.....	9
6.9 Summary of tests to be conducted.....	10
<b>7 Specific requirements for static flame arresters.....</b>	<b>11</b>
7.1 Construction.....	11
7.2 Design series.....	11
7.3 Flame transmission test.....	12
7.3.1 General.....	12
7.3.2 Deflagration test.....	12
7.3.3 Detonation test.....	16
7.3.4 Short time burning test.....	21
7.3.5 Endurance burning test.....	23
7.4 Limits for use.....	25
7.4.1 General.....	25
7.4.2 In-line flame arrester.....	26
7.4.3 Pre-volume flame arrester.....	26
7.4.4 Detonation flame arrester.....	26
7.4.5 Short time burn flame arresters.....	26
<b>8 Specific requirements for liquid product detonation flame arresters.....</b>	<b>27</b>
8.1 Liquid seals.....	27
8.2 Foot valves.....	27
8.3 Flame transmission test.....	28
8.4 Limits for use.....	29
<b>9 Specific requirements for dynamic flame arresters (high velocity vent valves).....</b>	<b>29</b>
9.1 General.....	29
9.2 Flame transmission tests.....	30
9.2.1 Low flow flame transmission test.....	30
9.2.2 Flame transmission test by opening and closing.....	31
9.2.3 Deflagration test.....	32
9.2.4 Endurance burning test.....	32
9.3 Limits for use.....	33
<b>10 Specific requirements for hydraulic flame arresters.....</b>	<b>33</b>

10.1	Equipment.....	33
10.2	Flame transmission test.....	33
10.2.1	General.....	33
10.2.2	Short time burning test.....	33
10.2.3	Deflagration test.....	34
10.2.4	Detonation test.....	34
10.3	Limits for use.....	34
<b>11</b>	<b>Test of flame arresters installed on or within gas conveying equipment.....</b>	<b>37</b>
11.1	General.....	37
11.2	Flame transmission test.....	37
11.2.1	General.....	37
11.2.2	Test procedure for gas conveying equipment with inlet pressure >600 hPa.....	39
11.2.3	Test procedure for gas conveying equipment with inlet pressure ≤600 hPa.....	39
<b>12</b>	<b>Information for use.....</b>	<b>40</b>
12.1	Instructions for use.....	40
12.2	Marking.....	41
12.2.1	Flame arrester.....	41
12.2.2	Flame arrester element.....	43
	<b>Annex A (normative) Flow measurement.....</b>	<b>44</b>
	<b>Annex B (informative) Information for selecting flame arresters.....</b>	<b>48</b>
	<b>Annex C (informative) Best practice.....</b>	<b>49</b>
	<b>Bibliography.....</b>	<b>50</b>

საინფორმაციო ნაწილი. სრული ტექსტის სახანაგად შეიძინეთ სტანდარტი.

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 21, *Equipment for fire protection and firefighting*.

This second edition cancels and replaces the first edition (ISO 16852:2008), which has been technically revised with the following changes:

- **Clause 1:** information concerning existing standard from IMO (International Maritime Organization) for maritime application added;
- **3.18:** definition of dynamic flame arrester revised;
- **Clause 4:** abbreviation for the time  $t_{P_{peak}}$  added;
- **6.5:** production test procedure for flame arresters of welded construction and of cast components revised;
- **6.7:** flow measurement (air) revised;
- **7.3.3.2** and **7.3.3.4:** in the flame transmission test for stable and unstable detonation without restriction the deflagration tests with  $L_u/D = 5$  deleted;
- **7.3.3.2:** formula for the calculation of the average value  $p_{md}$  added;
- **Figure 1** and **Figure 3:** figures for the test apparatus for deflagration tests of end-of-line flame arrester and of pre-volume flame arresters revised;
- **Figure 6** and **Figure 7:** figures for the test apparatus for short time burning test and for endurance burning test revised;
- **7.3.4:** short time burning test for inline flame arresters revised;
- **7.3.5:** test pressure for the endurance burning test of inline flame arresters added;
- **7.4.5:** limits for use of short time burn flame arresters added;
- **8.3:** flame transmission test for liquid product detonation flame arresters revised;

## ISO 16852:2016(E)

- [Clause 9](#): “Specific requirements for dynamic flame arresters (high velocity vent valves)” revised;
- [Clause 11](#): “Test of flame arresters installed on or within gas conveying equipment” added;
- [12.1](#): “Instructions for use” revised;
- [12.2](#): “Marking” revised;
- [Figure A.1](#): pipe lengths revised;
- [Annex C](#): “Best practice” revised;
- Annex D: “Use of in-line stable detonation flame arresters” deleted;
- Bibliography: updated.

It also incorporates the Technical Corrigenda ISO 16852:2008/Cor 1:2008 and ISO 16852:2008/Cor 2:2009.

## Introduction

Flame arresters are safety devices fitted to openings of enclosures or to pipe work and are intended to allow flow but prevent flame transmission. They have widely been used for decades in the chemical and oil industry, and a variety of national standards is available. This International Standard was prepared by an international group of experts, whose aim was to establish an international basis by harmonizing and incorporating recent national developments and standards as far as reasonable.

This International Standard addresses manufacturers (performance requirements) and test institutes (test methods), as well as customers (limits for use).

Only relatively general performance requirements are specified and these are kept to a strict minimum. Experience has shown that excessively specific requirements in this field often create unjustified restrictions and prevent innovative solutions.

The hazard identification of common applications found in industry leads to the specification of the test methods. These test methods reflect standard practical situations and, as such, form the heart of this International Standard because they also allow classification of the various types of flame arresters and then determination of the limits of use.

A considerable number of test methods and test conditions had to be taken into account for two main reasons.

- a) Different types of flame arresters are covered with respect to the operating principle (static, hydraulic, liquid, dynamic) and each type clearly needs its specific test set-up and test procedure.
- b) It is necessary to adapt flame arresters to the special conditions of application (gas, installation) because of the conflicting demands of high flame quenching capability and low pressure loss; this situation is completely different from the otherwise similar principle of protection by flameproof enclosure (of electrical equipment), where the importance of process gas flow through gaps is negligible; importance being placed on the flame quenching effect of the gap.

Consequently, in this International Standard, the testing and classification related to the gas groups and the installation conditions have been subdivided more than is usually the case. In particular,

- explosion group IIA is subdivided into sub-groups IIA1 and IIA,
- explosion group IIB is subdivided into sub-groups IIB1, IIB2, IIB3 and IIB, and
- the type “detonation arrester” is divided into four sub-types, which take into account specific installation situations.

The test conditions lead to the limits for use which are most important for the customer. This International Standard specifies this safety relevant information and its dissemination through the manufacturer’s written instructions for use and the marking of the flame arresters.

The limits for use are also a link to more general (operational) safety considerations and regulations, which remain the responsibility of national or corporate authorities. [Annex B](#) and [Annex C](#) offer some guidance in this field.