საქართველოს სტანდარტი

წინასწარ ფორმირებული თაბაშირმუყაოს პანელის კარნიზები - განსაზღვრა, მოთხოვნები და გამოცდის მეთოდები

საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტო თბილისი

საინფორმაციო მონაცემები

- 1 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს 2018 წლის 11 მაისის \mathbb{N}° 54 და 2018 წლის 7 მარტის \mathbb{N}° 14 განკარგულებებით
- 2 მიღებულია თავფურცლის თარგმნის მეთოდით სტანდარტიზაციის ევროპული კომიტეტის სტანდარტი ენ 14209:2017 " წინასწარ ფორმირებული თაბაშირმუყაოს პანელის კარნიზები განსაზღვრა, მოთხოვნები და გამოცდის მეთოდები"

3 პირველად

4 რეგისტრირებულია საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2018 წლის 11 მაისი №268-1.3-013315

აკრძალულია ამ სტანდარტის გადაცემა მესამე პირებისათვის ან/და მისი სხვა ფორმით გავრცელება

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 14209

July 2017

ICS 91.100.10

Supersedes EN 14209:2005

English Version

Preformed plasterboard cornices - Definitions, requirements and test methods

Corniches préformées en plâtre revêtues de carton -Définitions, exigences et méthodes d'essai Hohlkehlleisten aus kartonummanteltem Gips -Begriffe, Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 29 July 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents European forewordIntroduction		Page	
		3	
		4	
1	Scope	5	
2	Normative references		
3	Terms and definitions, symbols and abbreviations	5	
3.1	Terms and definitions		
3.2	Symbols and abbreviations	6	
4	Requirements		
4.1	Reaction to fire		
4.2 4.3	Flexural strength (expressed as bending behaviour)		
4.3 4.4	Dangerous substancesComposition		
4.5	Profile and dimensions		
5	Test methods		
5.1	Sampling		
5.2	Dimensional measurements		
5.3	Determination of accuracy of profile		
5.4	Determination of bending behaviour	9	
6	Assessment and verification of constancy of performance - AVCP	10	
6.1	General		
6.2	Type testing		
6.3	Factory production control (FPC)		
7	Designation of preformed plasterboard cornices		
8	Marking, labelling and packaging	12	
Anne	x A (informative) Sampling procedure for testing	13	
A.1	General	13	
A.2	Sampling procedure	13	
Anne	x B (normative) Mounting and fixing in the test according to EN 13823 (SBI test)	14	
Anne	x ZA (informative) Relationship of this European Standard with Regulation (EU) No.305/2011	15	
ZA.1	Scope and relevant characteristics		
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)		
ZA.3	Assignment of AVCP tasks		
	ography		

European foreword

This document (EN 14209:2017) has been prepared by Technical Committee CEN/TC 241 "Gypsum and gypsum based products", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2018, and conflicting national standards shall be withdrawn at the latest by April 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14209:2005.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Regulation (EU) No. 305/2011.

For relationship with Regulation (EU) No. 305/2011, see informative Annex ZA, which is an integral part of this document.

The main technical changes that have been made in this new edition of EN 14209 are the following:

- a) normative references have been updated;
- b) new clause symbols and abbreviations has been introduced;
- c) Annex ZA and Clause 6 have been revised to be in line with the Construction Products Regulation (CPR);
- d) document has been editorially revised.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Preformed plasterboard cornices are composed of gypsum plaster encased in and firmly bonded to strong durable paper liners in the shape of narrow lengths with various face profiles.

The composition and finish is identical to that of gypsum plasterboard which makes them particularly suitable for use in situations where a compatible product is required to aesthetically enhance the junction between gypsum plasterboard lined or gypsum plastered walls and ceilings. As well as concealing unsightly cracks, they can be used to provide a permanent and effective seal. They can also be used for decorative and acoustic purposes.

Preformed plasterboard cornices are installed with gypsum adhesive or mechanically fixed and can be finished with direct surface decoration.