

## საქართველოს სტანდარტი

სპეციფიკაცია ქვის ერთეულებისათვის-ნაწილი 1: თიხის სამშენებლო  
ელემენტები

საქართველოს სტანდარტებისა და მეტროლოგიის  
ეროვნული სააგენტო  
თბილისი

საინფორმაციო მონაცემები

1 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტებისა  
და მეტროლოგიის ეროვნული სააგენტოს 2015 წლის 27 ოქტომბრის № 69 და 2015 წლის 09 ივლისის № 46 განკარგულებებით

2 მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტიზაციის ევროპული  
კომიტეტის სტანდარტი ენ 771-1 : 2011+A1:2015 „სპეციფიკაცია ქვის  
ერთეულებისათვის-ნაწილი 1: თიხის სამშენებლო ელემენტები“

3 პირველად

4 რეგისტრირებულია საქართველოს სტანდარტებისა და მეტროლოგიის  
ეროვნული სააგენტოს რეესტრში: 2015 წლის 27 ოქტომბერი  
№268-1.3-8030

აკრძალულია ამ სტანდარტის გადაცემა მესამე პირებისათვის ან/და მისი სხვა ფორმით  
გავრცელება

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN 771-1:2011+A1

August 2015

ICS 91.100.25

Supersedes EN 771-1:2011

English Version

## Specification for masonry units - Part 1: Clay masonry units

Spécification pour éléments de maçonnerie - Partie 1:  
Briques de terre cuite

Festlegungen für Mauersteine - Teil 1: Mauerziegel

This European Standard was approved by CEN on 3 March 2011 and includes Amendment 1 approved by CEN on 11 January 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

Page

<b>European foreword .....</b>	<b>4</b>
<b>1 Scope .....</b>	<b>5</b>
<b>2 Normative references .....</b>	<b>5</b>
<b>3 Terms and definitions .....</b>	<b>6</b>
<b>4 Materials and manufacture .....</b>	<b>9</b>
<b>5 Requirements for clay masonry units .....</b>	<b>10</b>
<b>5.1 General.....</b>	<b>10</b>
<b>5.2 □ P units: intended to be used in protected masonry □.....</b>	<b>10</b>
<b>5.2.1 Dimensions and tolerances (□ P □ units).....</b>	<b>10</b>
<b>5.2.2 Configuration (□ P □ units).....</b>	<b>13</b>
<b>5.2.3 Density (□ P □ units).....</b>	<b>14</b>
<b>5.2.4 Compressive strength (□ P □ units).....</b>	<b>15</b>
<b>5.2.5 Thermal properties (□ P □ units).....</b>	<b>16</b>
<b>5.2.6 Durability (□ P □ units).....</b>	<b>16</b>
<b>5.2.7 Water absorption (□ P □ units).....</b>	<b>16</b>
<b>5.2.8 Active soluble salts content (□ P □ units).....</b>	<b>16</b>
<b>5.2.9 Moisture movement (□ P □ units).....</b>	<b>16</b>
<b>5.2.10 Reaction to fire (□ P □ units).....</b>	<b>17</b>
<b>5.2.11 Water vapour permeability (□ P □ units).....</b>	<b>17</b>
<b>5.2.12 Bond strength (□ P □ units).....</b>	<b>17</b>
<b>5.2.13 Dangerous substances .....</b>	<b>17</b>
<b>5.3 □ U units: intended to be used in unprotected masonry □ .....</b>	<b>18</b>
<b>5.3.1 Dimensions and tolerances (□ U □ units).....</b>	<b>18</b>
<b>5.3.2 Configuration (□ U □ units).....</b>	<b>19</b>
<b>5.3.3 Density (□ U □ units).....</b>	<b>20</b>
<b>5.3.4 Compressive strength (□ U □ units).....</b>	<b>21</b>
<b>5.3.5 Thermal properties (□ U □ units).....</b>	<b>22</b>
<b>5.3.6 Durability (□ U □ units).....</b>	<b>22</b>
<b>5.3.7 Water absorption (□ U □ units).....</b>	<b>22</b>
<b>5.3.8 Initial rate of water absorption (□ U □ units).....</b>	<b>23</b>
<b>5.3.9 Active soluble salts content (□ U □ units).....</b>	<b>23</b>
<b>5.3.10 Moisture movement (□ U □ units) .....</b>	<b>23</b>
<b>5.3.11 Reaction to fire (□ U □ units) .....</b>	<b>23</b>
<b>5.3.12 Water vapour permeability (□ U □ units) .....</b>	<b>23</b>
<b>5.3.13 Bond strength (□ U □ units) .....</b>	<b>24</b>
<b>5.3.14 Dangerous substances .....</b>	<b>24</b>
<b>6 □ Description, designation, designation code and classification of clay masonry units □ .....</b>	<b>24</b>
<b>6.1 Description and designation .....</b>	<b>24</b>
<b>6.1.1 □ P units □ .....</b>	<b>24</b>
<b>6.1.2 □ U units □ .....</b>	<b>25</b>
<b>6.2 Designation code .....</b>	<b>26</b>
<b>6.3 Classification.....</b>	<b>30</b>
<b>7 Marking .....</b>	<b>30</b>
<b>8 □ Assessment and verification of constancy of performance (AVCP) □ .....</b>	<b>30</b>
<b>8.1 General.....</b>	<b>30</b>
<b>8.2 □ Product type determination □ .....</b>	<b>30</b>
<b>8.3 Factory production control.....</b>	<b>31</b>

<b>8.3.1</b>	<b>General .....</b>	<b>31</b>
<b>8.3.2</b>	<b>Testing and measuring equipment.....</b>	<b>32</b>
<b>8.3.3</b>	<b>Production equipment .....</b>	<b>32</b>
<b>8.3.4</b>	<b>Raw materials .....</b>	<b>32</b>
<b>8.3.5</b>	<b>Production process .....</b>	<b>32</b>
<b>8.3.6</b>	<b>Finished product testing.....</b>	<b>32</b>
<b>8.3.7</b>	<b>Statistical techniques.....</b>	<b>33</b>
<b>8.3.8</b>	<b>Marking and stock control of products.....</b>	<b>33</b>
<b>8.3.9</b>	<b>Traceability.....</b>	<b>33</b>
<b>8.3.10</b>	<b>Nonconforming products .....</b>	<b>33</b>
<b>Annex A (normative)  Sampling for product type determination tests and for independent testing of consignments </b>	<b>34</b>	
<b>A.1</b>	<b>General .....</b>	<b>34</b>
<b>A.2</b>	<b>Sampling procedure.....</b>	<b>34</b>
<b>A.2.1</b>	<b>General .....</b>	<b>34</b>
<b>A.2.2</b>	<b>Random sampling .....</b>	<b>34</b>
<b>A.2.3</b>	<b>Representative sampling .....</b>	<b>34</b>
<b>A.2.4</b>	<b>Dividing the sample.....</b>	<b>35</b>
<b>A.2.5</b>	<b>Number of units required for testing.....</b>	<b>36</b>
<b>Annex B (informative) Additional information.....</b>	<b>38</b>	
<b>B.1</b>	<b>Use of clay masonry units .....</b>	<b>38</b>
<b>B.2</b>	<b>Durability .....</b>	<b>39</b>
<b>B.3</b>	<b>Freeze/thaw resistance .....</b>	<b>39</b>
<b>B.3.1</b>	<b>General .....</b>	<b>39</b>
<b>B.3.2</b>	<b>Masonry subjected to severe exposure .....</b>	<b>39</b>
<b>B.3.3</b>	<b>Masonry subjected to moderate exposure .....</b>	<b>40</b>
<b>B.3.4</b>	<b>Masonry subjected to passive exposure .....</b>	<b>40</b>
<b>B.4</b>	<b>Sulfate action on mortars and plasters.....</b>	<b>40</b>
<b>B.5</b>	<b>Efflorescence and staining.....</b>	<b>41</b>
<b>B.6</b>	<b>General guidance on the appearance of facing clay masonry units .....</b>	<b>41</b>
<b>Annex C (informative) Guidelines for test frequencies for designing a FPC system to demonstrate conformity of finished products with the requirements of the standard and the declaration of the manufacturer .....</b>	<b>42</b>	
<b>Annex ZA (informative)  Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation </b>	<b>44</b>	
<b>ZA.1</b>	<b>Scope and relevant characteristics .....</b>	<b>44</b>
<b>ZA.2</b>	<b>Procedure for AVCP of clay masonry units.....</b>	<b>47</b>
<b>ZA.2.1</b>	<b>System(s) of AVCP .....</b>	<b>47</b>
<b>ZA.2.2</b>	<b>Declaration of performance (DoP) .....</b>	<b>48</b>
<b>ZA.3</b>	<b>CE marking and labelling.....</b>	<b>54</b>
<b>Bibliography.....</b>	<b>57</b>	

## European foreword

This document (EN 771-1:2011+A1:2015) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2016, and conflicting national standards shall be withdrawn at the latest by May 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes A1 EN 771-1:2011 A1.

This document includes Amendment 1 approved by CEN on 2015-01-11.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

A1 This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports basic requirements for construction works of the EU Construction Products Regulation (Regulation (EU) No 305/2011).

For relationship with EU Regulation/Directive(s), see informative Annex ZA, which is an integral part of this document. A1

This European Standard also takes into account the general rules for unreinforced and reinforced masonry in Eurocode 6.

EN 771, *Specification for masonry units* consists of:

- *Part 1: Clay masonry units*
- *Part 2: Calcium silicate masonry units*
- *Part 3: Aggregate concrete masonry units (Dense and light weight aggregates)*
- *Part 4: Autoclaved aerated concrete masonry units*
- *Part 5: Manufactured stone masonry units*
- *Part 6: Natural stone masonry units*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.