საქართველოს სტანდარტი

ამწეები - მობილური ამწეები

საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტო თბილისი

სსტ ენ 13000:2010+A1:2014/2019

საინფორმაციო მონაცემები

- 1 **შემუშავებულია** საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ
- 2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს 2019 წლის 6 დეკემბრის № 98 განკარგულებით
- **3 მიღებულია გარეკანის თარგმნის მეთოდით** სტანდარტიზაციის ევროპული კომიტეტის სტანდარტი ენ 13000:2010+A1:2014 "ამწეები მობილური ამწეები"
 - 4 პირველად
- **5 რეგისტრირებულია** საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2019 წლის 6 დეკემბერი №268-1.3-016314

დაუშვებელია წინამდებარე სტანდარტის სრული ან ნაწილობრივი კვლავწარმოება, ტირაჟირება და გავრცელება სსიპ საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13000:2010+A1

May 2014

ICS 53.020.20

Supersedes EN 13000:2010

English Version

Cranes - Mobile cranes

Appareils de levage à charge suspendue - Grues mobiles

Krane - Fahrzeugkrane

This European Standard was approved by CEN on 19 December 2009 and includes Corrigendum 1 issued by CEN on 6 October 2010 and Amendment 1 approved by CEN on 9 February 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Introduction 6 1 2 3 Terms and definitions11 Safety requirements and/or protective measures14 4.1 4.1.1 4.1.2 4.1.3 Limit states ______19 4.2 4.2.1 4.2.2 Control station ______22 4.2.3 A) Protection against falling objects (A)24 Seats ______24 4.2.4 4.2.5 Controls and control systems24 4.2.6 Limiting and indicating devices26 Steering system32 4.2.7 4.2.8 Braking systems 33 4.2.9 Hydraulic and pneumatic systems and components.......37 4.2.11 4.2.12 Electric and electronic components and related phenomena40 4.2.13 Hooks and hook blocks40 4.2.14 Specific requirements for spare tyres/wheels......40 4.2.15 Specific requirements for pin jointed jib/fly jib connections40 4.3 Visibility40 Crane operator's field of view......40 4.3.1 4.3.2 Lighting.......41 4.4 Noise and noise reduction......41 4.5 Fire protection........42 Fire resistance 42 4.5.1 Fire extinguisher42 4.5.2 4.6 Requirements for transport and travel42 4.6.1 4.6.2 Separately transported parts.......42 4.7 Roll over and tip over protection42 Verification42 5 5.1 Methods of verification42 Test procedures and conditions44 5.2 5.2.1 General.......44 5.2.2 Conceptual verification by calculation45 5.2.3 Conceptual verification by experiment45 5.2.4 5.2.5 Test report45 Verification based on noise emission values45 5.3 6.1 6.1.1

Page

6.1.2	Noise reduction by information	
6.1.3 6.2	Technical data and information	
6.2.1	General	
6.2.2 6.3	Crane operator instructions	
6.4	Instructions for maintenance and inspection	51
6.4.1 6.4.2	GeneralInstructions for maintenance	
6.4.2 6.4.3	Instructions for inspection	
6.5	Instructions for training	
6.6 6.7	Instructions for spare partsInstructions for disposal	
7	Marking	
7.1	Machine marking	53
7.2 7.3	Information and warningGraphic symbols	
7.4	Marking of crane parts	
7.5 7.6	Marking of outriggers	
7.6 Annox	A (normative) Examples of mobile crane types	
	B .1 (informative) Major parts of telescopic cranes	
	B.2 (informative) Major parts of lattice 🗗 boom 街 cranes	
	C (normative) List of hazards	
	D (normative) Load effects of combined motions	
	E (normative) Crane operator's seat dimensions	
	F (normative) Rigid body stability: Load effects due to acceleration	
Annex	G .1 (normative) Noise test code for mobile cranes	69
Annex	G.2 (normative) Noise measurement, test report	75
Annex	H (normative) Limit values for structural and fine grain steel types	77
Annex	J .1 (normative) Minimum requirements for specification of hoist/derrick gears	78
	K .1 (normative) Minimum requirements for the specification of lifting hooks	
Annex	L (normative) Proof of competence	95
	M (normative) Test of steering systems for off-road mobile cranes	
	N .1 (informative) Wind speed as a function of elevation	
	P (normative) Efficiency of sheave sets	
Annex	Q (informative) Manufacturer's sign	108
	R (normative) Certificate for wire rope, requirements	
	S (normative) Certificate for chain, requirements	
	T (informative) Test procedures: Selection of load cases	
Annex	U (normative) Test certificate	112
	V (informative) Additional information of the concept of the limiting and indicating device	
	W (informative) Selection of a suitable set of crane standards for a given application	114
Annex	ZA (informative) Relation between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	116
Biblioa	raphy	

rig	Jur	es

Figure A.1 — Industrial mobile crane	54
Figure A.2 — Mobile crane with telescopic 🗗 boom 街	54
Figure A.3 — Mobile crane with \land telescopic boom and fly jib 🔄	54
Figure A.4 — Mobile crane with luffing fly jib	54
Figure A.5 — Mobile crane with lattice 🗗 boom 街	54
Figure A.6 — Crawler crane	54
Figure A.7 — Crawler crane with additional counterweight	55
Figure A.8 — Mobile harbour crane	55
Figure B.1.1 — Examples of major parts	56
Figure B.1.2 — Examples of 🗗 booms 🔄 and 🗗 boom/jib 🔄 combinations	56
Figure B.2.1 — Examples of major parts	57
Figure B.2.2 — Examples of 🗗 booms 🔄 and 🗗 boom/jib 🔄 combinations	57
Figure D.1 — Crawler crane	62
Figure D.2 — Crane on outriggers	63
Figure D.3 — Telescopic crane on outriggers	64
Figure E.1 — Seat dimensions (see Table E.1)	66
Figure F.1 — Crane 🕒 boom 街 in travelling and in lateral direction	68
Figure G.1 — Test Conditions - Position of the crane; exact position of the crane in relation to the radial centre of the hemisphere, see G.1.6.1 and G.1.6.	70
Figure K.3.1 — Model of hook blocks (Examples)	90
Figure N.3.1 — Regions where same mean storm wind velocities are applicable	103
Figure Q.1 — Example of a Manufacturer's sign	108
Figure T.1 — Selection of load cases	111
Tables	
Table 1 — Verification of safety requirements including the proof of competence	43
Table C.1 — List of hazards	58
Table D.1 — Load combinations, one or two simultaneous movements	64
Table D.2 — Load combinations, more than two simultaneous movements	65
Table E.1 — Seat dimensions and adjustments	67
Table F.1 — Minimum values of tipping angle	68
Table H.1 — Limit values for structural and fine grain steel types	77
Table M.1 — Permitted steering control effort	98
Table N.1.1 — 3-second wind gust speed as a function of mean wind speed as per Beaufort Scale and as per elevation	
Table N.2.1 — Quasistatic impact pressure as a function of mean wind speed as per the Beaufort Scale and as a function of elevation	101
Table R.1 — Rope certificate (Example)	109
Table S.1 — Certificate for chain (Example)	110
Table U.1 — Test certificate (Example)	112

Foreword

This document (EN 13000:2010+A1:2014) has been prepared by Technical Committee CEN/TC 147 "Cranes — Safety", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2014, and conflicting national standards shall be withdrawn at the latest by November 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes A EN 13000:2010 A.

This document includes Amendment 1 approved by CEN on 2014-02-09.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A] (A].

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

A For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This standard applies to mobile cranes which are put on the market 12 months after the date of ratification by CEN of this standard or at the latest 2015-02-09.

This document has been prepared by Product Working Group CEN/TC 147/WG 11 "Mobile Cranes", the secretariat of which is held by DIN.

EN/TC 147 WG11 has reviewed EN 13000:2010 to adapt the standard to the technical progress, new requirements and changes in standards referenced; the main topics are:

- The scope of this standard has been amended to cover gaps and overlaps with other European Standards.
- Several wind related incidents forced the introduction of more clarification on wind loads and the development of explanations to be added in the instruction manual (4.1.2.2.2 and 6.2.2.4).
- The limit value for the noise measured at the operator position has been aligned with the actual legal requirements and the former noise clause has been reorganized to improve readability (5.3, 6.1.2 and Annex G).
- To cover the risk of a wrong setting of the outrigger configuration and to align the standard with other European Standards and recently introduced regulations outside of the EEA, requirements for outrigger monitoring are introduced (4.2.6.2.5). (41)

Annexes A, C, D, E, F, G.1 and G.2, H, J.1 to J.4, K.1 to K.5, L, M, P, R, S and U are normative. Annexes B.1 and B.2, N.1 to N.3, Q, T, V and W are informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard is a type C standard.

This European Standard has been prepared to provide one means for mobile cranes to conform with the essential health and safety requirements of the Machinery Directive.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

(A) CEN/TC147 WG11 had set up a dedicated working group with representatives from crane manufacturers, electronic component suppliers and Health and Safety organizations. This group did a thorough investigation in the transition from EN 954 to EN ISO 13849 and came to the conclusion that this transition is not currently feasible for mobile cranes.

The required Performance Level was determined by risk assessment according to EN 1050; it was established as PLr=c; this value is not achievable with components currently available on the market and is as such beyond the state of the art for mobile cranes. This is mainly due to the amount of signals to be processed simultaneously.

Therefore, in the present amendment A1, the requirements given for safety related parts of control systems will refer to EN 954. [A]