საქართველოს სტანდარტი

გახსნილი და ჰიდრავლიკურად შეკრული ნარევები - ნაწილი 41: ჰიდრავლიკურად შეკრული ნარევების სიმტკიცის კუმშვისას განსაზღვრის გამოცდის მეთოდები

საქართველოს სტანდარტებისა და მეტროლოგიის
ეროვნული სააგენტო
თბილისი

სსტ ენ 13286-41:2003/2020

საინფორმაციო მონაცემები

1 შემუშავებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს 2020 წლის 07 მაისის № 53 განკარგულებით

3 მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტების ევროპული კომიტეტის სტანდარტი ენ 13286-41:2003 ,, გახსნილი და ჰიდრავლიკურად შეკრული ნარევები - ნაწილი 41: ჰიდრავლიკურად შეკრული ნარევების სიმტკიცის კუმშვისას განსაზღვრის გამოცდის მეთოდები”

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2020 წლის 07 მაისი №268-1.3-017159

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 13286-41

March 2003

ICS 93.080.20

English version

Unbound and hydraulically bound mixtures - Part 41: Test method for the determination of the compressive strength of hydraulically bound mixtures

Mélanges traités et mélanges non traités aux liants hydrauliques - Partie 41: Méthode d'essai pour la détermination de la résistance à la compression des mélanges traités aux liants hydrauliques

Ungebundene und hydraulisch gebundene Gemische - Teil 41: Prüfverfahren zur Bestimmung der Druckfestigkeit hydraulisch gebundener Gemische

This European Standard was approved by CEN on 29 November 2002.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Ref. No. EN 13286-41:2003 E

Contents

Foreword

This document (EN 13286-41:2003) has been prepared by Technical Committee CEN/TC 227 "Road materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2003, and conflicting national standards shall be withdrawn at the latest by December 2004.

This European Standard is one of a series of standards as listed below.

EN 13286-1, *Unbound and hydraulically bound mixtures - Part 1: Test methods for laboratory reference density and water content – Introduction, general requirements and sampling.*

prEN 13286-2, *Unbound and hydraulically bound mixtures - Part 2: Test methods for laboratory reference density and water content - Proctor compaction.*

EN 13286-3, *Unbound and hydraulically bound mixtures - Part 3: Test methods for laboratory reference density and water content - Vibrocompression with controlled parameters.*

EN 13286-4, *Unbound and hydraulically bound mixtures - Part 4: Test methods for laboratory reference density and water content - Vibrating hammer.*

EN 13286-5, *Unbound and hydraulically bound mixtures - Part 5: Test methods for laboratory reference density and water content - Vibrating table.*

prEN 13286-7, *Unbound and hydraulically bound mixtures - Part 7: Cyclic load triaxial test for unbound mixtures.*

EN 13286-40, *Unbound and hydraulically bound mixtures - Part 40: Test method for the determination of the direct tensile strength of hydraulically bound mixtures.*

EN 13286-41, *Unbound and hydraulically bound mixtures - Part 41: Test method for the determination of the compressive strength of hydraulically bound mixtures.*

EN 13286-42, *Unbound and hydraulically bound mixtures - Part 42: Test method for the determination of the indirect tensile strength of hydraulically bound mixtures.*

EN 13286-43, *Unbound and hydraulically bound mixtures - Part 43: Test method for the determination of the modulus of elasticity of hydraulically bound mixtures.*

prEN 13286-44, *Unbound and hydraulically bound mixtures - Part 44: Test method for the determination of the alpha coefficient of vitrified blastfurnace slag.*

prEN 13286-45, *Unbound and hydraulically bound mixtures - Test methods - Part 45: Test method for the determination of the workability period of hydraulically bound mixtures.*

EN 13286-46, *Unbound and hydraulically bound mixtures - Part 46: Test method for the determination of the moisture condition value.*

prEN 13286-47, *Unbound and hydraulically bound mixtures - Part 47: Test methods for the determination of California bearing ratio, immediate bearing index and linear swelling.*

prEN 13286-48, *Unbound and hydraulically bound mixtures - Part 48: Test method for the determination of the degree of pulverisation.*

prEN 13286-49, *Unbound and hydraulically bound mixtures - Part 49: Test method for the determination of the accelerated swelling of soil treated by lime and/or hydraulic binder.*

prEN 13286-50, *Unbound and hydraulically bound mixtures - Part 50: Method for the manufacture of test specimens of hydraulically bound mixtures using Proctor equipment or vibrating table compaction.*

prEN 13286-51, *Unbound and hydraulically bound mixtures - Part 51: Method for the manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction.*

prEN 13286-52, *Unbound and hydraulically bound mixtures - Part 52: Method for the manufacture of test specimens of hydraulically bound mixtures using vibrocompression.*

prEN 13286-53, *Unbound and hydraulically bound mixtures - Part 53: Method for the manufacture of test specimens of hydraulically bound mixtures using axial compression.*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovak Republic, Spain, Sweden, Switzerland and the United Kingdom.