

## საქართველოს სტანდარტი

---

---

მოძრავი სამშენებლო მანქანები გზებისათვის-უსაფრთხოება-ნაწილი 4:  
სპეციალური მოთხოვნები სატკეპნი მანქანებისთვის

საქართველოს სტანდარტებისა და მეტროლოგიის  
ეროვნული სააგენტო  
თბილისი

საინფორმაციო მონაცემები

1 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს 2016 წლის 1 აპრილის № 26 და 2016 წლის 1 თებერვლის № 7 განკარგულებებით

2 მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტიზაციის ევროპული კომიტეტის სტანდარტი ენ 500-4:2011 „მოძრავი სამშენებლო მანქანები გზებისათვის-უსაფრთხოება-ნაწილი 4: სპეციალური მოთხოვნები სატკეპნი მანქანებისთვის“

3 პირველად

4 რეგისტრირებულია საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2016 წლის 1 აპრილი №268-1.3-8496

აკრძალულია ამ სტანდარტის გადაცემა მესამე პირებისათვის ან/და მისი სხვა ფორმით  
გავრცელება

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 500-4**

February 2011

ICS 93.080.10

Supersedes EN 500-4:2006+A1:2009

English Version

**Mobile road construction machinery - Safety - Part 4: Specific requirements for compaction machines**

Machines mobiles pour la construction de routes - Sécurité  
- Partie 4: Prescriptions spécifiques pour compacteurs

Bewegliche Straßenbaumaschinen - Sicherheit - Teil 4:  
Besondere Anforderungen an Verdichtungsmaschinen

This European Standard was approved by CEN on 9 January 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

	Page
<b>Foreword.....</b>	<b>6</b>
<b>Introduction .....</b>	<b>8</b>
<b>1 Scope .....</b>	<b>8</b>
<b>2 Normative references .....</b>	<b>8</b>
<b>3 Terms and definitions .....</b>	<b>9</b>
<b>4 List of significant hazards .....</b>	<b>11</b>
<b>5 Safety requirements and/or protective measures .....</b>	<b>11</b>
<b>5.1 Lighting, signalling and marking lights and reflex-reflector devices.....</b>	<b>11</b>
<b>5.2 Operation and handling .....</b>	<b>11</b>
<b>5.2.1 Retrieval transportation and towing .....</b>	<b>11</b>
<b>5.2.2 Pedestrian-controlled rollers.....</b>	<b>11</b>
<b>5.3 Operator's station.....</b>	<b>13</b>
<b>5.4 Operator's seat.....</b>	<b>13</b>
<b>5.5 Controls and indicators .....</b>	<b>13</b>
<b>5.5.1 General.....</b>	<b>13</b>
<b>5.5.2 Travel control of pedestrian-controlled machines with handle bar .....</b>	<b>13</b>
<b>5.5.3 Controls for towed machines .....</b>	<b>13</b>
<b>5.5.4 Remote control of pedestrian-controlled rollers .....</b>	<b>13</b>
<b>5.6 Starting .....</b>	<b>14</b>
<b>5.7 Stopping .....</b>	<b>14</b>
<b>5.7.1 General.....</b>	<b>14</b>
<b>5.7.2 Stopping device .....</b>	<b>14</b>
<b>5.7.3 Braking systems .....</b>	<b>14</b>
<b>5.8 Access system to operator's station and to maintenance points .....</b>	<b>15</b>
<b>5.9 Roll-over protective structure (ROPS).....</b>	<b>15</b>
<b>5.10 Noise and vibration.....</b>	<b>16</b>
<b>5.10.1 Noise measurement of vibratory plates and vibratory rammers .....</b>	<b>16</b>
<b>5.10.2 Noise measurement of rollers .....</b>	<b>16</b>
<b>5.10.3 Vibration measurement of hand-guided machines .....</b>	<b>16</b>
<b>6 Verification of safety requirements and/or protective measures .....</b>	<b>17</b>
<b>7 Information for the user .....</b>	<b>17</b>
<b>7.1 Warning signals and devices .....</b>	<b>17</b>
<b>7.2 Instruction handbook .....</b>	<b>17</b>
<b>7.3 Marking .....</b>	<b>18</b>
<b>Annex A (normative) Remote infrared controls for rollers with attending operator.....</b>	<b>19</b>
<b>A.1 General.....</b>	<b>19</b>
<b>A.2 Scope .....</b>	<b>19</b>
<b>A.3 Terms and definitions .....</b>	<b>19</b>
<b>A.4 Safety requirements and measures .....</b>	<b>19</b>
<b>A.5 Components and equipment .....</b>	<b>21</b>
<b>Annex B (normative) Noise-test-code for vibratory plates and vibratory rammers .....</b>	<b>23</b>
<b>B.1 Scope .....</b>	<b>23</b>
<b>B.2 Determination of the A-weighted sound power level.....</b>	<b>23</b>
<b>B.2.1 General.....</b>	<b>23</b>
<b>B.2.2 Measurement surface .....</b>	<b>24</b>
<b>B.2.3 Test procedure .....</b>	<b>28</b>
<b>B.2.4 Repetition of the test and calculation of the sound power level .....</b>	<b>28</b>

B.3	Determination of the A-weighted emission sound pressure level at the operator's position.....	29
B.3.1	General .....	29
B.3.2	Operator's position .....	29
B.3.3	Test procedure.....	29
B.3.4	Repetition of the test and calculation of the emission sound pressure level.....	29
B.3.5	Determination of emission sound pressure spectra .....	29
B.3.6	Sound pressure level as a function of time .....	29
B.4	Installation and mounting conditions .....	30
B.4.1	General .....	30
B.4.2	Design of the test surface.....	30
B.4.3	Design of the test site .....	31
B.5	Operating conditions .....	33
B.6	Uncertainty .....	33
B.7	Information to be recorded.....	33
B.8	Information to be reported.....	34
B.9	Declaration and verification of noise emission values .....	35
<b>Annex C</b> (normative) <b>Measurement of the hand-arm vibration of hand-guided vibratory ground compaction machines</b> .....	36	
C.1	General .....	36
C.2	Terminology .....	36
C.3	Quantities to be measured .....	36
C.3.1	R.m.s. value of the weighted acceleration .....	36
C.3.2	Frequency analysis .....	36
C.3.3	Time records .....	37
C.3.4	Other quantities to be measured .....	37
C.4	Measuring equipment .....	37
C.4.1	Requirements for the acceleration transducers .....	37
C.4.2	Fastening of the acceleration transducers .....	37
C.4.3	Frequency weighting filter.....	37
C.4.4	R.m.s. detector.....	37
C.4.5	Calibration.....	37
C.5	Measurement direction and measurement location .....	38
C.5.1	Measurement direction .....	38
C.5.2	Measurement location.....	40
C.6	Specification of working procedure .....	40
C.6.1	Operator.....	40
C.6.2	Other quantities to be determined (forces).....	40
C.6.3	Operating conditions .....	40
C.6.4	Requirements for the test site.....	40
C.6.5	Measurement procedure.....	41
C.7	Test report .....	41
C.7.1	Reference .....	41
C.7.2	Description of the object to be measured.....	41
C.7.3	List of measuring equipment .....	41
C.7.4	Fastening of the acceleration transducers .....	41
C.7.5	Operating conditions .....	41
C.7.6	Further specifications .....	41
C.7.7	Results .....	42
C.8	Report of results .....	42
C.9	Measurement uncertainty .....	42
<b>Annex D</b> (normative) <b>Noise test code for vibratory rollers</b> .....	43	
D.1	Scope .....	43
D.2	Determination of the A-weighted sound power level .....	43
D.2.1	General .....	43
D.2.2	Measurement surface.....	43
D.2.3	Positioning of the machine.....	45
D.2.4	Repetition of the test.....	49

D.3	Determination of the A-weighted emission sound pressure level at the operators positions for vibratory rollers.....	49
D.3.1	General.....	49
D.3.2	Operator's positions .....	49
D.3.3	Enclosed operator's positions .....	49
D.3.4	Quantities to be determined .....	49
D.3.5	Microphone position(s) .....	49
D.3.6	Test procedure .....	49
D.3.7	Repetition of the test .....	50
D.4	Test conditions .....	50
D.4.1	Installation and mounting conditions.....	50
D.4.2	Operating conditions.....	50
D.5	Uncertainty .....	50
D.6	Information to be recorded .....	51
D.7	Information to be reported.....	51
D.8	Declaration and verification of noise emission values.....	52
<b>Annex E (normative) Noise test code for non-vibrating rollers .....</b>	<b>53</b>	
E.1	Scope .....	53
E.2	Determination of the A-weighted sound power level.....	53
E.2.1	General.....	53
E.2.2	Measurement surface .....	53
E.2.3	Positioning of the machine.....	55
E.2.4	Repetition of the test .....	56
E.3	Determination of the A-weighted emission sound pressure level at operator's positions for non-vibrating rollers .....	56
E.3.1	General.....	56
E.3.2	Operators positions .....	56
E.3.3	Enclosed operator's positions .....	56
E.3.4	Quantities to be determined .....	56
E.3.5	Microphone position(s) .....	56
E.3.6	Test procedure .....	56
E.3.7	Repetition of the test .....	57
E.4	Test conditions .....	57
E.4.1	Installation and mounting conditions.....	57
E.4.2	Operating conditions.....	57
E.5	Uncertainty .....	57
E.6	Information to be recorded .....	58
E.7	Information to be reported.....	58
E.8	Declaration and verification of noise emission values.....	59
<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC .....</b>	<b>60</b>	
<b>Bibliography .....</b>	<b>61</b>	

## Figures

Figure 1 — Vertical swinging of single-drum walk-behind rollers .....	12
Figure 2 — Position of the stopping device at pedestrian-controlled rollers .....	13
Figure 3 — Minimum clearance of lower limbs at access to the operator's station on machines with articulated steering .....	15
Figure 4 — Deflection-limiting volume, front view, side view.....	16
Figure 5 — Warning decal .....	17

Figure B.1 — Arrangement of test positions for hand-guided vibratory plates and hand-guided vibratory rammers .....	25
Figure B.2 — Arrangement of test positions for remote controlled vibratory plates.....	27
Figure B.3 — Grading-size diagram of the material to be compacted (gravel).....	31
Figure B.4 — Test site and arrangement with test track .....	32
Figure C.1 — Directions of measurement and examples for attachment of the acceleration transducer.....	39
Figure C.2 — Arrangement of the coupling device on the drawbar .....	40
Figure D.1 — Basic length $L$ .....	44
Figure D.2 — Arrangement of test positions for ride-on vibratory rollers .....	45
Figure D.3 — Arrangement of test positions for hand-guided vibratory rollers .....	46
Figure D.4 — Arrangement of test positions for remote controlled vibratory rollers .....	47
Figure D.5 — Arrangement of test positions for towed vibratory rollers.....	48
Figure E.1 — Basic length $L$ .....	54
Figure E.2 — Microphone positions .....	55

## Tables

Table B.1 — Coordinates of microphones .....	28
Table B.2 — Operating conditions .....	33
Table B.3 — Uncertainties applicable to gravel course .....	33
Table D.2 — Uncertainties applicable to cushion mounted machines .....	50
Table E.1 — Coordinates of microphone positions.....	54
Table E.2 — Uncertainties.....	57

## Foreword

This document (EN 500-4:2011) has been prepared by Technical Committee CEN/TC 151 Building material construction machinery and equipment — Safety”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2011, and conflicting national standards shall be withdrawn at the latest by August 2011.

This document supersedes EN 500-4:2006+A1:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA which is an integral part of this document.

The following changes have been introduced during the revision of EN 500-4:2006+A1:2009:

- exclusion of machines for seated ride-on operated rollers with a drum width less than nominal 0,8 m;
- addition of warnings and instructions regarding use of machines with a drum width less than nominal 1 m;
- vibrating rollers, irrespective whether they are intended for ride-on operation, pedestrian- or remote-controlled are measured on a cushion/elastic underlay;
- non-vibrating rollers, irrespective whether they are intended for ride-on operation, pedestrian- or remote-controlled are measured on a rigid reflecting plane without load and engine operating at nominal power-output;
- vibratory rammers are measured on the gravel-track;
- vibratory plates are measured on the gravel-track;
- for pragmatic reasons the deletion of explosion rammers and non-vibrating towed rollers/equipment is suggested ancillary, because today explosion-rammers cannot be found in the market any longer and non-vibrating towed rollers/equipment represent a passive attachment without any power-source and a function based on static-load only.

EN 500 “Mobile road construction machinery — Safety” comprise the following parts:

- Part 1: Common requirements;
- Part 2: Specific requirements for road-milling machines;
- Part 3: Specific requirements for soil-stabilising machines and recycling machines;
- Part 4: Specific requirements for compaction machines;
- Part 6: Specific requirements for paver-finishers.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

საინფორმაციო ნაწილი. სრული გექნილი დანართი სანახავის დაწესების დროის მიზნით დაგენერირდება.