

საქართველოს სტანდარტი

სამრეწველო თერმოდამუშავების აღჭურვილობა - ნაწილი 2: უსაფთხოების
მოთხოვნები წვისა და საწვავის დამუშავების სისტემებისათვის

საქართველოს სტანდარტებისა და მეტროლოგიის
ეროვნული სააგენტო
თბილისი

საინფორმაციო მონაცემები

1 შემუშავებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს 2019 წლის 20 დეკემბრის № 102 განკარგულებით

3 მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტიზაციის ევროპული კომიტეტის სტანდარტი ენ 746-2:2010 “სამრეწველო თერმოდამუშავების აღჭურვილობა - ნაწილი 2: უსაფთხოების მოთხოვნები წვისა და საწვავის დამუშავების სისტემებისათვის”

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2019 წლის 20 დეკემბერი №268-1.3-016656

დაუშვებელია წინამდებარე სტანდარტის სრული ან ნაწილობრივი კვლავწარმოება, ტირაჟირება და გავრცელება სსიპ საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 746-2

May 2010

ICS 25.180.01

Supersedes EN 746-2:1997

English Version

Industrial thermoprocessing equipment - Part 2: Safety requirements for combustion and fuel handling systems

Equipements thermiques industriels - Partie 2:
Prescriptions de sécurité concernant la combustion et la
manutention des combustibles

Industrielle Thermoprozessanlagen - Teil 2:
Sicherheitsanforderungen an Feuerungen und
Brennstoffführungssysteme

This European Standard was approved by CEN on 11 March 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

| | Page |
|---|-----------|
| Foreword..... | 6 |
| Introduction | 7 |
| 1 Scope | 8 |
| 2 Normative references | 9 |
| 3 Terms and definitions | 11 |
| 4 List of hazards..... | 20 |
| 5 Safety requirements, measures and verification means | 21 |
| 5.1 General..... | 21 |
| 5.2 Gaseous fuels | 21 |
| 5.2.1 Gas pipework | 21 |
| 5.2.2 Required safety devices..... | 24 |
| 5.2.3 Combustion air and pre-purging the combustion chamber and flue passages | 30 |
| 5.2.4 Supply of pre-mixed fuel gas/air | 32 |
| 5.2.5 Burners | 33 |
| 5.2.6 Automatic burner control systems | 37 |
| 5.3 Liquid fuels | 39 |
| 5.3.1 Liquid fuel pipework | 39 |
| 5.3.2 Required safety devices..... | 42 |
| 5.3.3 Combustion air and pre-purging the combustion chamber and the flue passages | 45 |
| 5.3.4 Liquid fuel atomisation | 47 |
| 5.3.5 Burners | 47 |
| 5.3.6 Automatic burner control systems | 49 |
| 5.4 Solid fuels | 51 |
| 5.4.1 Pulverised solid fuel pipework | 51 |
| 5.4.2 Graded fuel pipework (applicable to grate burners and fluidised beds) | 52 |
| 5.4.3 Required devices (for pulverised fuels and fluidised beds) | 53 |
| 5.4.4 Combustion air and pre-purging of the combustion chamber and flue passages..... | 54 |
| 5.4.5 Burners | 54 |
| 5.4.6 Automatic burner control systems (pulverised fuel) | 56 |
| 5.5 Multiple fuels | 56 |
| 5.5.1 General..... | 56 |
| 5.5.2 Fuel circuit..... | 57 |
| 5.5.3 Combustion air supplies | 57 |
| 5.5.4 Operation of the safety devices | 57 |
| 5.5.5 Air/fuel ratio | 57 |
| 5.6 Oxygen or oxygen-enriched combustion air | 57 |
| 5.6.1 General..... | 57 |
| 5.6.2 Suitability for oxygen service | 57 |
| 5.6.3 Sealing materials for oxygen pipework | 57 |
| 5.6.4 Pipework | 58 |
| 5.6.5 Pipes velocities | 58 |
| 5.6.6 Fittings | 58 |
| 5.6.7 Blow off and venting lines | 58 |
| 5.6.8 Manual torches..... | 58 |
| 5.6.9 Safety devices against gas backflow | 59 |
| 5.6.10 Safety devices against oxygen backflow in mixture with other substances | 59 |
| 5.6.11 Material requirements | 59 |
| 5.7 Design requirements for electrical and electronic equipment for control system and protective system | 59 |
| 5.7.1 General..... | 59 |

| | | |
|-------------------------------|--|------------|
| 5.7.2 | Requirements for protective systems | 60 |
| 5.7.3 | Fault assessment for a hardwired protective system | 64 |
| 5.7.4 | Electrical power failure | 70 |
| 5.7.5 | Reset | 70 |
| 6 | Verification of the safety requirements and/or measures | 72 |
| 7 | Information for Use | 77 |
| 7.1 | General | 77 |
| 7.2 | Marking | 77 |
| 7.3 | Instruction handbook | 78 |
| 7.3.1 | General | 78 |
| 7.3.2 | Description of equipment | 78 |
| 7.3.3 | Inspection procedures | 79 |
| 7.3.4 | Commissioning, start-up and operating procedures | 79 |
| 7.3.5 | Shut-down procedures | 80 |
| 7.3.6 | Maintenance procedures | 80 |
| 7.3.7 | Documentation | 80 |
| Annex A (informative) | Typical Examples of IThE, Fuels and Burners | 81 |
| A.1 | List – Machines concerned, descriptions, functions | 81 |
| A.1.1 | List of IThE | 81 |
| A.2 | Classification of fuels | 84 |
| A.2.1 | Gaseous fuels | 84 |
| A.2.2 | Liquid fuels | 84 |
| A.2.3 | Solid fuels | 84 |
| A.3 | Classification of burners | 85 |
| A.3.1 | Gaseous fuels | 85 |
| A.3.2 | Liquid fuels | 85 |
| A.3.3 | Solid fuels | 85 |
| Annex B (informative) | Technical terms | 86 |
| Annex C (informative) | Typical examples of piping and components | 101 |
| Annex D (informative) | Methods for burner start-up | 111 |
| Annex E (normative) | Maximum allowable pressure | 118 |
| Annex ZA (informative) | | 123 |
| Bibliography | | 124 |

Figures

| | |
|--|------------|
| Figure 1 — Block diagram of control/protective and heated system | 60 |
| Figure 2 a — Example for requirements of 5.7.2 a | 61 |
| Figure 2 b — Example for requirements of 5.7.2 b | 62 |
| Figure 2 c — Example for requirements of 5.7.2 c | 63 |
| Figure 2 d — Example for requirements of 5.7.2 d | 63 |
| Figure 3 — Fault assessment for the hardwired section of a protective system | 65 |
| Figure 4 — Consideration of fault tolerance time and safety time for IThE | 66 |
| Figure 5 — Examples for wiring of fuel shut-down with hardware diversity of the disconnecting devices..... | 67 |
| Figure 6 — Example for wiring of fuel shut-down with diverse functionality of the disconnecting devices..... | 68 |
| Figure C.1 — Single burner equipment | 101 |
| Figure C.2a — Multiple burner equipment – Central pipework – Example a two burners system..... | 102 |
| Figure C.2b — Multiple burner equipment – Central pipework – Example b..... | 103 |
| Figure C.2c — Multiple burner equipment – Central pipework – Example c | 104 |
| Figure C.3a — Multiple burner equipment – Zone pipework – Example a | 105 |
| Figure C.3b — Multiple burner equipment – Zone pipework – Example b | 106 |
| Figure C.3c — Multiple burner equipment – Zone pipework – Example c | 107 |
| Figure C.4 — Multiple burner equipment (burner pipework)..... | 108 |
| Figure C.5 — Central pipework for low cycling applications | 109 |
| Figure C.6 — Draft breaks..... | 110 |
| Figure D.1 — Direct main burner ignition at full rate (see Table 3, Column 2, $Q_{F\max} \leq 120 \text{ kW}$)..... | 111 |
| Figure D.2 — Direct main burner ignition at reduced ratewith slow opening valve (see Table 3, Column 3, $Q_{F\max} \leq 360 \text{ kW}$) | 111 |
| Figures D.3 and D.4 — Direct main burner ignition at reduced rate with by-pass start gas supply (see Table 3, Column 4) | 112 |
| Figures D.5 and D.6 — Direct main burner ignition at reduced rate with limited start gas input (see Table 3, Column 4) | 113 |
| Figures D.7 and D.8 — Main burner ignition with independent pilot burner (see Table 3, Column 5, $Q_{F\max} \leq 120 \text{ kW}$) | 114 |
| Figures D.9 and D.10 — Main burner ignition with independent pilot burner (see Table 3, Column 5, $Q_{F\max} \leq 360 \text{ kW}$) | 115 |

| | |
|---|-----|
| Figures D.11 and D.12 — Main burner ignition with independent pilot burner (see Table 3, Column 5) | 116 |
| Figures D.13 and D.14 — Main burner ignition with independent pilot burner (see Table 3, Column 5) | 117 |
| Figure E.1 — Piping referred to clause a) group 1 of Annex E | 119 |
| Figure E.2 — Piping referred to clause a) group 2 of Annex E | 120 |
| Figure E.3 — Piping referred to clause b) group 1 of Annex E | 121 |
| Figure E.4 — Piping referred to clause b) group 2 of Annex E | 122 |

Tables

| | |
|---|----|
| Table 1 — Maximum safety times for natural draught burners operating in open air | 34 |
| Table 2 — Maximum safety times for natural draught burners operating in combustion chamber | 35 |
| Table 3 — Maximum safety times for forced and induced draught burners | 36 |
| Table 4 — Maximum safety times | 48 |
| Table 5 — Materials requirements | 59 |
| Table 6 — Verification of the safety requirements and/or measures | 72 |
| Table B.1 — English – German – French | 86 |
| Table B.2 — German – English – French | 91 |
| Table B.3 — French – English – German | 96 |

Foreword

This document (EN 746-2:2010) has been prepared by Technical Committee CEN/TC 186 "Industrial Thermoprocessing Equipment", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2010, and conflicting national standards shall be withdrawn at the latest by May 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 746-2:1997.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

Following a request from CEN/TC 186, CEN has agreed to defer the date of withdrawal of EN 746-2:1997 for a transitional period of 12 months.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

This European Standard is a Type C standard as defined in EN ISO 12100-1.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered, is indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

This Part of EN 746 assumes that the equipment is not creating any potentially explosive atmosphere and is located in a normally ventilated area.

This European Standard forms one part of a series of safety standards covering Industrial Thermoprocessing Equipment (IThE). The full list of these standards is given below:

EN 746, Industrial thermoprocessing equipment

- Part 1: Common safety requirements for industrial thermoprocessing equipment
- Part 2: Safety requirements for combustion and fuel handling systems
- Part 3: Safety requirements for the generation and use of atmosphere gases
- Part 4: Particular safety requirements for hot dip galvanising thermoprocessing equipment
- Part 5: Particular safety requirements for salt bath thermoprocessing equipment
- Part 6: Particular safety requirements for material melting, re-melting and liquid phase maintaining thermoprocessing equipment
- Part 7: Particular safety requirements for vacuum thermoprocessing equipment
- Part 8: Particular safety requirements for quenching equipment

Compliance with European product standards e.g. EN 267, EN 12952-8, EN 12953-7 or EN 676 is not sufficient to ensure the minimum safety requirement for industrial thermoprocessing equipment. This part 2 of EN 746 shall always have priority for IThE.

An IThE generally consists of the following components:

- processing chamber (e.g. steel construction with lining);
- heating system;
- protective system;
- control and instrumentation system/operator-control level.

It is assumed that (IThE) will only be operated and maintained by trained personnel.