

## საქართველოს ეროვნული სტანდარტი

განცოს გარეშე აირჩე მომუშავე 08ოლირებული გამათბობლები  
ნომინალური საწყისი მონაცემებისთვის, რომლებიც არ აჭარბებს ნკვეტის დროს.

საქართველოს სტანდარტების, ტექნიკური რეგლამენტების  
და მეტროლოგიის ეროვნული სააგენტო  
თბილისი

საინჟორმაციო მონაცემები

1 შემუშავებულია საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს სფანდარტებისა და ტექნიკური რეგლამენტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს 2009 წლის 9 ნოემბრის №48 „ს“ განკარგულებით

3 მიღებულია გარეკანის მეთოდით სფანდარტიზაციის საერთაშორისო ორგანიზაციის სფანდარტი მსმ მ6 14829 : 2007 „გაწოვის გარეშე აირჩე მომუშავე იზოლირებული გამათბობლები ნომინალური საწყისი მონაცემებისთვის, რომლებიც არ აჭარბებს ნკვეტ“

4 პირველად

5 რეგისტრირებულია საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2009 წლის 9 ნოემბერი №268-1.3-3400

წინამდებარე სფანდარტის სრული ან ნაწილობრივი აღწარმოება, ტირაჟირება და გავრცელება საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე არ დაიშვება

EUROPEAN STANDARD

EN 14829

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2007

ICS 97.100.20

English Version

## Independent gas-fired flueless space heaters for nominal heat input not exceeding 6 kW

Appareils de chauffage domestiques non raccordés indépendants utilisant les combustibles gazeux pour un débit calorifique nominal inférieur ou égal à 6 kW

Konvektions-Raumheizer ohne Abgasabführung für gasförmige Brennstoffe mit einer Nennwärmebelastung kleiner oder gleich 6 kW

This European Standard was approved by CEN on 24 June 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Contents

	<b>Page</b>
<b>Foreword.....</b>	<b>7</b>
<b>1 Scope.....</b>	<b>8</b>
<b>2 Normative references .....</b>	<b>8</b>
<b>3 Terms and definitions.....</b>	<b>9</b>
<b>4 Classification .....</b>	<b>15</b>
<b>4.1 Classification of gases .....</b>	<b>15</b>
<b>4.2 Categories of appliances.....</b>	<b>15</b>
<b>4.2.1 General .....</b>	<b>15</b>
<b>4.2.2 Category I.....</b>	<b>16</b>
<b>4.2.3 Category II.....</b>	<b>16</b>
<b>5 Constructional requirements.....</b>	<b>17</b>
<b>5.1 General .....</b>	<b>17</b>
<b>5.1.1 Conversion to different gases .....</b>	<b>17</b>
<b>5.1.2 Materials and method of construction.....</b>	<b>18</b>
<b>5.1.3 Accessibility for use and maintenance.....</b>	<b>18</b>
<b>5.1.4 Connections .....</b>	<b>19</b>
<b>5.1.5 Soundness of the gas circuit assembly .....</b>	<b>19</b>
<b>5.1.6 Electrical equipment .....</b>	<b>20</b>
<b>5.1.7 Safety in the event of fluctuation, interruption and restoration of the auxiliary energy.....</b>	<b>20</b>
<b>5.1.8 Appliance stability and fixing .....</b>	<b>20</b>
<b>5.1.9 Dress guards .....</b>	<b>20</b>
<b>5.1.10 Confirmation of operation .....</b>	<b>20</b>
<b>5.2 Adjusting, control and safety devices .....</b>	<b>21</b>
<b>5.2.1 General .....</b>	<b>21</b>
<b>5.2.2 Injectors and gas rate adjusters .....</b>	<b>21</b>
<b>5.2.3 Aeration adjusters.....</b>	<b>22</b>
<b>5.2.4 Shut-off valves .....</b>	<b>22</b>
<b>5.2.5 Flame supervision devices .....</b>	<b>23</b>
<b>5.2.6 Pressure regulators .....</b>	<b>23</b>
<b>5.2.7 Thermostats.....</b>	<b>24</b>
<b>5.2.8 Atmosphere sensing device .....</b>	<b>24</b>
<b>5.3 Ignition devices .....</b>	<b>24</b>
<b>5.3.1 General .....</b>	<b>24</b>
<b>5.3.2 Ignition burners .....</b>	<b>25</b>

<b>5.4</b>	<b>Flame supervision systems (Appliances with automatic burner systems only) .....</b>	<b>25</b>
<b>5.5</b>	<b>Ignition burner or start-gas flame establishment.....</b>	<b>25</b>
<b>5.5.1</b>	<b>Appliances with non-automatic burner systems.....</b>	<b>25</b>
<b>5.5.2</b>	<b>Appliances with automatic burner systems.....</b>	<b>25</b>
<b>5.6</b>	<b>Main flame establishment .....</b>	<b>25</b>
<b>5.6.1</b>	<b>General.....</b>	<b>25</b>
<b>5.6.2</b>	<b>Appliances with non-automatic burner systems.....</b>	<b>25</b>
<b>5.6.3</b>	<b>Appliances with automatic burner systems.....</b>	<b>26</b>
<b>5.6.4</b>	<b>Direct establishment of the main flame .....</b>	<b>26</b>
<b>5.7</b>	<b>Burners .....</b>	<b>26</b>
<b>5.7.1</b>	<b>General.....</b>	<b>26</b>
<b>5.7.2</b>	<b>Pan burners .....</b>	<b>26</b>
<b>5.8</b>	<b>Fan to assist in the distribution of heat.....</b>	<b>26</b>
<b>5.9</b>	<b>Pressure test points.....</b>	<b>26</b>
<b>6</b>	<b>Operational requirements .....</b>	<b>27</b>
<b>6.1</b>	<b>General.....</b>	<b>27</b>
<b>6.2</b>	<b>Soundness.....</b>	<b>27</b>
<b>6.3</b>	<b>Heat inputs.....</b>	<b>27</b>
<b>6.3.1</b>	<b>Nominal heat input.....</b>	<b>27</b>
<b>6.3.2</b>	<b>Reduced rate heat input .....</b>	<b>27</b>
<b>6.4</b>	<b>Temperature of various parts of the appliance.....</b>	<b>27</b>
<b>6.4.1</b>	<b>Temperature of external parts of the appliance.....</b>	<b>27</b>
<b>6.4.2</b>	<b>Temperature of components .....</b>	<b>28</b>
<b>6.4.3</b>	<b>Temperature of floor, shelf and walls .....</b>	<b>28</b>
<b>6.5</b>	<b>Ignition and cross-lighting .....</b>	<b>28</b>
<b>6.5.1</b>	<b>General.....</b>	<b>28</b>
<b>6.5.2</b>	<b>Construction integrity test on glass fronted appliances .....</b>	<b>28</b>
<b>6.6</b>	<b>Flame stability .....</b>	<b>28</b>
<b>6.7</b>	<b>Pressure regulators .....</b>	<b>28</b>
<b>6.8</b>	<b>Combustion .....</b>	<b>29</b>
<b>6.8.1</b>	<b>Reference gas .....</b>	<b>29</b>
<b>6.8.2</b>	<b>Limit gas .....</b>	<b>29</b>
<b>6.8.3</b>	<b>Appliances fitted with a fan to assist in the evacuation of the products of combustion.....</b>	<b>29</b>
<b>6.8.4</b>	<b>Normal and abnormal voltage fluctuation .....</b>	<b>29</b>
<b>6.8.5</b>	<b>Measurement of nitrogen dioxide (NO<sub>2</sub>) .....</b>	<b>29</b>
<b>6.8.6</b>	<b>Values to be used in Annex G .....</b>	<b>29</b>
<b>6.9</b>	<b>Sooting .....</b>	<b>29</b>
<b>6.9.1</b>	<b>Cold condition .....</b>	<b>29</b>

6.9.2	Hot condition .....	30
6.10	Atmosphere sensing device .....	30
6.11	Flame supervision devices .....	30
6.11.1	Thermoelectric device .....	30
6.11.2	Automatic burner control system .....	30
7	Test methods .....	30
7.1	General .....	30
7.1.1	Characteristics of test gases: reference and limit gases .....	30
7.1.2	Conditions for preparation of the test gases .....	31
7.1.3	Practical application of test gases .....	31
7.1.4	Test pressures .....	31
7.1.5	General test conditions .....	32
7.2	Appliance stability and fixing .....	33
7.3	Soundness of the gas circuit .....	33
7.4	Heat inputs .....	33
7.4.1	Nominal heat input .....	33
7.4.2	Reduced rate .....	35
7.5	Temperature of various parts of the appliance .....	35
7.5.1	General .....	35
7.5.2	Temperature of external parts of the appliance .....	35
7.5.3	Temperature of components .....	35
7.5.4	Temperature of floor, shelf and walls .....	36
7.6	Ignition and cross-lighting .....	36
7.6.1	General .....	36
7.6.2	Ignition performance .....	37
7.6.3	Crosslighting .....	37
7.6.4	Supplementary tests .....	38
7.7	Flame stability .....	38
7.7.1	Lift .....	38
7.7.2	Light back .....	38
7.7.3	Resistance to draught .....	38
7.8	Pressure regulators .....	39
7.8.1	Operational pressure regulator .....	39
7.8.2	Pressure regulator out of service .....	39
7.9	Combustion .....	39
7.9.1	General .....	39
7.9.2	Combustion when tested in an atmosphere with approximately normal level of oxygen .....	40
7.9.3	Normal and abnormal voltage fluctuation .....	42

7.9.4	Nitrogen dioxide (NO <sub>2</sub> ) .....	43
7.10	Sooting .....	44
7.10.1	General .....	44
7.10.2	Determination of the smoke number .....	44
7.10.3	Test conditions .....	44
7.11	Atmosphere sensing devices .....	45
7.11.1	All appliances .....	45
7.11.2	Blockage of combustion gases for closed fronted appliances .....	45
7.12	Flame supervision device .....	45
7.12.1	Thermoelectric device .....	45
7.12.2	Automatic burner control systems .....	46
8	Marking and instructions .....	46
8.1	Data plate .....	46
8.2	Other marking .....	47
8.2.1	General .....	47
8.2.2	Warning labels .....	47
8.3	Marking of the packaging .....	47
8.4	Utilization of symbols on the appliance and packaging .....	48
8.4.1	Electrical supply .....	48
8.4.2	Type of gas .....	48
8.4.3	Gas supply pressure .....	48
8.4.4	Country of destination .....	48
8.4.5	Category .....	49
8.4.6	Other information .....	49
8.5	Instructions .....	49
8.5.1	General .....	49
8.5.2	Instructions for use, and user maintenance .....	49
8.5.3	Technical instructions for installation and maintenance .....	50
8.5.4	Additional information .....	51
	Figure 3 – Example of combustion products collecting device .....	54
	Annex A (informative) National situations .....	55
A.1	General .....	55
A.2	Marketing in different countries of the categories listed in the text of the standard .....	55
A.3	Supply pressures for the appliances corresponding to the categories given in A.2 .....	57
A.4	Special categories marketed nationally or locally .....	59
A.4.1	General .....	59
A.4.2	Definition of special categories .....	60
A.4.3	Gas rate adjusters, aeration adjusters and regulators .....	62
A.4.4	Conversion to different gases .....	62
A.5	Test gases corresponding to the special categories given in A.4 .....	62
A.6	Gas connections in the various countries .....	65
	Annex B (informative) Gas valve arrangements for automatic controls for automatic control .....	66

<b>Annex C</b> (informative) Means of identification of the types of gas in use in the various countries .....	67
<b>Annex D</b> (normative) Apparatus for the determination of the smoke number.....	68
D.1    Pump .....	68
D.2    Sampling tube .....	68
D.3    Filter paper.....	68
D.4    Grey scale .....	68
<b>Annex E</b> (normative) Dress guards .....	70
E.1    Scope.....	70
E.2    Requirements .....	70
E.2.1    Access.....	70
E.2.2    Strength .....	70
E.3    Tests .....	70
E.3.1    Access.....	70
E.3.2    Strength .....	71
<b>Annex F</b> (normative) Vitiation room .....	73
F.1    Dimensions .....	73
F.2    Sealing requirement.....	73
F.3    Construction.....	73
<b>Annex G</b> (normative) Room size and ventilation .....	75
G.1    General .....	75
G.2    Room size .....	75
G.2.1    General.....	75
G.2.2    Maximum allowable gas input with regard to CO emissions .....	76
G.2.3    Maximum allowable gas input with regard to NO <sub>2</sub> emissions .....	76
G.2.4    Calculation of minimum room size .....	77
G.2.5    Ventilation .....	77
<b>Annex H</b> (informative) A-deviation .....	78
<b>Annex ZA</b> (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 90/396/EEC .....	79
<b>Bibliography</b> .....	81

## Foreword

This document (EN 14829:2007) has been prepared by Technical Committee CEN/TC 62 “Independent gas-fired space heaters”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2008, and conflicting national standards shall be withdrawn at the latest by February 2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.