# საქართველოს სტანდარტი

ჩამოსხმა-სფერული გრაფიტის შემცველი თუჯი

საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტო თბილისი

## სსტ ეწ 1563:2011/2013

### საინფორმაციო მონაცემები

- 1 **შემუშავებულია** საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს სტანდარტების დეპარტამენტის მიერ
- 2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს 2013 წლის 28 მაისის № 34 განკარგულებით
- **3** მიღებულია გარეკანის თარგმნის მეთოდით სტანდარტიზაციის საერთაშორისო ორგანიზაციის სტანდარტი ენ 1563:2011 "ჩამოსხმა-სფერული გრაფიტის შემცველი თუჯი"

### 4 პირველად

**5 რეგისტრირებულია** საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2013 წლის 28 მაისი №268-1.3-5441

წინამდებარე სტანდარტის სრული ან ნაწილობრივი აღწარმოება, ტირაჟირება და გავრცელება საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე არ დაიშვება

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN 1563** 

December 2011

ICS 77.080.10

Supersedes EN 1563:1997

#### **English Version**

## Founding - Spheroidal graphite cast irons

Fonderie - Fontes à graphite sphéroïdal

Gießereiwesen - Gusseisen mit Kugelgraphit

This European Standard was approved by CEN on 12 November 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	GIILS FO	aye
Forewo	ord	3
Introdu	ıction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Designation	6
5	Order information	7
6	Manufacture	7
7	Requirements	
7.1 7.2	General Ferritic to pearlitic spheroidal graphite cast irons	
7.2 7.3	Solid solution strengthened ferritic spheroidal graphite cast irons	
8	Sampling	
8.1	General	
8.2 8.3	Cast samples Samples cut from a casting	
9	Test methods	
9.1	Tensile test	. 19
9.2 9.3	Impact test	
9.4	Graphite structure examination	
10	Retests	
10.1 10.2	Need for retests  Test validity	
10.2 10.3	Non-conforming test results	
10.4	Heat treatment of samples and castings	. 22
11	Inspection documentation	. 22
Annex	A (informative) Additional information on solid solution strengthened ferritic spheroidal graphite cast irons	. 23
Annex	B (informative) Guidance values for mechanical properties measured on test pieces machined from samples cut from the castings	. 27
Annex	C (informative) Guidance values for hardness	. 29
Annex	D (informative) Nodularity	. 31
Annex	E (informative) Additional information on mechanical and physical properties	. 32
Annex	F (informative) Fracture toughness, impact energy and ductility of spheroidal graphite cast irons	. 34
Annex	G (normative) Sectioning procedure for cast samples	. 38
Annex	H (informative) Comparison of spheroidal graphite cast iron material designations according to EN 1560 [1] and ISO/TR 15931 [24]	. 39
Annex	I (informative) Un-notched impact test	. 40
Annex	J (informative) Significant technical changes between this European Standard and the previous edition	. 42
Annex	ZA (informative) Relationship between this European Standard and the Essential Requirements of EC Directive 97/23/EC	. 44
Bibliod	ıraphy	. 45

### **Foreword**

This document (EN 1563:2011) has been prepared by Technical Committee CEN/TC 190 "Foundry technology", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2012, and conflicting national standards shall be withdrawn at the latest by June 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1563:1997.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive 97/23/EC, see informative Annex ZA, which is an integral part of this document.

Within its programme of work, Technical Committee CEN/TC 190 requested CEN/TC 190/WG 7 "Spheroidal graphite, silicon molybdenum and austempered ductile iron" to revise EN 1563:1997.

Annex J provides details of significant technical changes between this European Standard and the previous edition.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### Introduction

The properties of spheroidal graphite cast irons depend on their structure.

Spheroidal graphite cast irons covered by this European Standard are divided in two groups:

- 1) ferritic to pearlitic spheroidal graphite cast irons which were in the previous standard;
- solid-solution strengthened ferritic spheroidal graphite cast irons which were not in the previous standard.

The two groups present specific properties, for example:

- the ferritic grades of the first group present the highest impact energy;
- the pearlite containing grades are more suitable for wear resistance applications;
- the solid-solution strengthened ferritic grades present for an equivalent tensile strength a higher proof strength and a higher elongation than that of the ferritic to pearlitic grades;
- a significant property of these solid-solution strengthened ferritic grades is the reduced hardness variation resulting in an improved machinability.

The mechanical properties of the material can be evaluated on machined test pieces prepared from:

- separately cast samples;
- side-by-side cast samples;
- cast-on samples;
- samples cut from a casting.

The material grade is defined by mechanical properties measured on machined test pieces prepared from cast samples.

If hardness or un-notched impact energy are a requirement of the purchaser as being important for the application, then Annex C or Annex I provide means for its determination.

It is well known that tensile properties and hardness of spheroidal graphite cast irons are interrelated. When considered by the purchaser as being important for the application, both tensile and hardness properties may be specified.

Further technical data on spheroidal graphite cast irons is given in Annexes A, E and F.

In this European Standard a new designation system by number, as established in EN 1560:2011 [1], is given.

NOTE This designation system by number is based on the structure and rules of EN 10027-2 [2] and so corresponds with the European numbering system for steel and other materials.

Some spheroidal graphite cast iron grades can be used for pressure equipment.

The permitted material grades of spheroidal graphite cast iron for pressure applications and the conditions for their use are given in specific product or application standards.

For the design of pressure equipment, specific design rules apply.

Annex ZA gives information relating to the conformance of permitted spheroidal graphite cast iron grades to the Pressure Equipment Directive 97/23/EC.