

საქართველოს ეროვნული სტანდარტი

პროექტი 1: გეოგრაფიული კონსტრუქციები.
ნაწილი 1-2: გეოგრაფიული კონსტრუქციები-გეოგრაფიული ცენტრისგან დაშორებული
კონსტრუქციები

საქართველოს სტანდარტების, ტექნიკური რეგლამენტების
და მეტროლოგიის ეროვნული სააგენტო
თბილისი

საინჟინერო მონაცემები

1 შემუშავებულია საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტებისა და ტექნიკური რეგლამენტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედო საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს 2009 წლის 8 მაისის № 24 “ს” განკარგულებით

3 მიღებულია გარეკანის მეთოდით სტანდარტიზაციის საერთაშორისო ორგანიზაციის სტანდარტი ისო 96 1991-1-2 : 2002 “ვეროკოდი 1: გემოქმედება კონსტრუქციებზე. ნაწილი 1-2: ზოგადი მოქმედებები-გემოქმედება ცეცხლისგან დაუცველ კონსტრუქციებზე”

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2009 წლის 15 მაისი № 268-1.3-2422

წინამდებარე სტანდარტის სრული ან ნაწილობრივი აღწარმოება, გირაჟირება და გავრცელება საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე არ დაიშვება

English version

**Eurocode 1: Actions on structures - Part 1-2: General actions -
Actions on structures exposed to fire**

Eurocode 1: Actions sur les structures au feu - Partie 1-2:
Actions générales - Actions sur les structures exposées

Eurocode 1 - Einwirkungen auf Tragwerke - Teil 1-2:
Allgemeine Einwirkungen - Brandeinwirkungen auf
Tragwerke

This European Standard was approved by CEN on 1 September 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

page

Foreword	4
Section 1 General	10
1.1 Scope	10
1.2 Normative references	10
1.3 Assumptions	11
1.4 Distinction between Principles and Application Rules	11
1.5 Terms and definitions	11
1.5.1 Common terms used in Eurocode Fire parts	11
1.5.2 Special terms relating to design in general	13
1.5.3 Terms relating to thermal actions	13
1.5.4 Terms relating to heat transfer analysis	15
1.6 Symbols	15
Section 2 Structural Fire design procedure	21
2.1 General	21
2.2 Design fire scenario	21
2.3 Design fire	21
2.4 Temperature Analysis	21
2.5 Mechanical Analysis	22
Section 3 Thermal actions for temperature analysis	23
3.1 General rules	23
3.2 Nominal temperature-time curves	24
3.2.1 Standard temperature-time curve	24
3.2.2 External fire curve	24
3.2.3 Hydrocarbon curve	25
3.3 Natural fire models	25
3.3.1 Simplified fire models	25
3.3.1.1 General	25
3.3.1.2 Compartment fires	25
3.3.1.3 Localised fires	26
3.3.2 Advanced fire models	26
Section 4 Mechanical actions for structural analysis	27
4.1 General	27
4.2 Simultaneity of actions	27
4.2.1 Actions from normal temperature design	27
4.2.2 Additional actions	28
4.3 Combination rules for actions	28
4.3.1 General rule	28
4.3.2 Simplified rules	28
4.3.3 Load level	29
Annex A (informative) Parametric temperature-time curves	30
Annex B (informative) Thermal actions for external members - Simplified calculation method	33
B.1 Scope	33
B.2 Conditions of use	33

B.3	Effects of wind	34
B.3.1	Mode of ventilation.....	34
B.3.2	Flame deflection by wind	34
B.4	Characteristics of fire and flames.....	35
B.4.1	No forced draught.....	35
B.4.2	Forced draught	37
B.5	Overall configuration factors.....	39
Annex C	(informative) Localised fires.....	41
Annex D	(informative) Advanced fire models.....	44
D.1	One-zone models	44
D.2	Two-zone models	45
D.3	Computational fluid dynamic models.....	45
Annex E	(informative) Fire load densities	46
E.1	General.....	46
E.2	Determination of fire load densities	47
E.2.1	General	47
E.2.2	Definitions	47
E.2.3	Protected fire loads.....	48
E.2.4	Net calorific values	48
E.2.5	Fire load classification of occupancies	50
E.2.6	Individual assessment of fire load densities	50
E.3	Combustion behaviour	50
E.4	Rate of heat release Q	51
Annex F	(informative) Equivalent time of fire exposure	53
Annex G	(informative) Configuration factor	55
G.1	General.....	55
G.2	Shadow effects.....	56
G.3	External members	56
Bibliography	59

Foreword

This document (EN 1991-1-2:2002) has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI.

CEN/TC250/SC1 is responsible for Eurocode 1.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2003, and conflicting national standards shall be withdrawn at the latest by December 2009.

This document supersedes ENV 1991-2-2:1995.

Annexes A, B, C, D, E, F and G are informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European Standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990, Eurocode: Basis of structural design.

EN 1991, Eurocode 1: Actions on structures.

prEN 1992, Eurocode 2: Design of concrete structures.

prEN 1993, Eurocode 3: Design of steel structures.

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

prEN 1994, Eurocode 4: Design of composite steel and concrete structures.

prEN 1995, Eurocode 5: Design of timber structures.

prEN 1996, Eurocode 6: Design of masonry structures.

prEN 1997, Eurocode 7: Geotechnical design.

prEN 1998, Eurocode 8: Design of structures for earthquake resistance.

prEN 1999, Eurocode 9: Design of aluminium structures.

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that EUROCODES serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 - Mechanical resistance and stability - and Essential Requirement N°2 - Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs).

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall:

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc.;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, de facto, play a similar role in the field of the ER 1 and a part of ER 2.

National standards implementing Eurocodes

The national standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a national title page and national foreword, and may be followed by a national annex.

The national annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e.:

- values and/or classes where alternatives are given in the Eurocode;
- values to be used where a symbol only is given in the Eurocode;
- country specific data (geographical, climatic, etc), e.g. snow map;
- the procedure to be used where alternative procedures are given in the Eurocode.

It may also contain:

- decisions on the application of informative annexes and
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1991-1-2

EN 1991-1-2 describes the thermal and mechanical actions for the structural design of buildings exposed to fire, including the following aspects:

Safety requirements

EN 1991-1-2 is intended for clients (e.g. for the formulation of their specific requirements), designers, contractors and relevant authorities.

The general objectives of fire protection are to limit risks with respect to the individual and society, neighbouring property, and where required, environment or directly exposed property, in the case of fire.

Construction Products Directive 89/106/EEC gives the following essential requirement for the limitation of fire risks:

⁴ See Art.3.3 and Art.12 of the CPD, as well as 4.2, 4.3.1, 4.3.2 and 5.2 of ID N°1.

"The construction works must be designed and built in such a way, that in the event of an outbreak of fire

- the load bearing resistance of the construction can be assumed for a specified period of time,
- the generation and spread of fire and smoke within the works are limited,
- the spread of fire to neighbouring construction works is limited,
- the occupants can leave the works or can be rescued by other means,
- the safety of rescue teams is taken into consideration".

According to the Interpretative Document N°2 "Safety in Case of Fire"⁵ the essential requirement may be observed by following various possibilities for fire safety strategies prevailing in the Member States like conventional fire scenarios (nominal fires) or "natural" (parametric) fire scenarios, including passive and/or active fire protection measures.

The fire parts of Structural Eurocodes deal with specific aspects of passive fire protection in terms of designing structures and parts thereof for adequate load bearing resistance and for limiting fire spread as relevant.

Required functions and levels of performance can be specified either in terms of nominal (standard) fire resistance rating, generally given in national fire regulations or, where allowed by national fire regulations, by referring to fire safety engineering for assessing passive and active measures.

Supplementary requirements concerning, for example:

- the possible installation and maintenance of sprinkler systems;
- conditions on occupancy of building or fire compartment;
- the use of approved insulation and coating materials, including their maintenance

are not given in this document, because they are subject to specification by the competent authority.

Numerical values for partial factors and other reliability elements are given as recommended values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and of quality management applies.

Design procedures

A full analytical procedure for structural fire design would take into account the behaviour of the structural system at elevated temperatures, the potential heat exposure and the beneficial effects of active and passive fire protection systems, together with the uncertainties associated with these three features and the importance of the structure (consequences of failure).

⁵ See 2.2, 3.2(4) and 4.2.3.3 of ID N°2.

At the present time it is possible to undertake a procedure for determining adequate performance which incorporates some, if not all, of these parameters and to demonstrate that the structure, or its components, will give adequate performance in a real building fire. However where the procedure is based on a nominal (standard) fire, the classification system, which calls for specific periods of fire resistance, takes into account (though not explicitly) the features and uncertainties described above.

Application of this Part 1-2 is illustrated below. The prescriptive approach and the performance-based approach are identified. The prescriptive approach uses nominal fires to generate thermal actions. The performance-based approach, using fire safety engineering, refers to thermal actions based on physical and chemical parameters.




Figure 1 — Alternative design procedures

Design aids

It is expected, that design aids based on the calculation models given in EN 1991-1-2 will be prepared by interested external organizations.

The main text of EN 1991-1-2 includes most of the principal concepts and rules necessary for describing thermal and mechanical actions on structures.

National annex for EN 1991-1-2

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices have to be made. Therefore the national standard implementing EN 1991-1-2 should have a national annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1991-1-2 through:

- 2.4(4)
- 3.1(10)
- 3.3.1.1(1)
- 3.3.1.2(1)
- 3.3.1.2(2)
- 3.3.1.3(1)
- 3.3.2(1)
- 3.3.2(2)
- 4.2.2(2)
- 4.3.1(2)