

## საქართველოს ეროვნული სტანდარტი

ევროპული 6: ქვის წყობის კონსტრუქციების ღარისხების  
ნაწილი 2: ღარისხების ანალიზი, მასალების შერჩევა და ქვის  
წყობის განხორციელება

საქართველოს სტანდარტების, ტექნიკური რეგლამენტების  
და მეტროლოგიის ეროვნული სააგენტო  
თბილისი

### საინჟორმაციო მონაცემები

1 შემუშავებულია საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს სფანდარტებისა და ტექნიკური რეგლამენტების დეპარტამენტის მიერ

2 ლამზპიცებულია და შემოღებულია სამოქმედოდ საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს 2009 წლის 8 მაისის № 24 “ს” განკარგულებით

3 მიღებულია გარეკანის მეთოდით სფანდარტიზაციის საერთაშორისო ორგანიზაციის სფანდარტი 01სრ ენ 1996-2 : 2006 “ევროკოდი 6: ქვის წყობის კონსტრუქციების დაპროექტება. ნაწილი 2: დაპროექტების ანალიზი, მასალების შერჩევა და ქვის წყობის განხორციელება”

### 4 პირველად

5 რეგისტრირებულია საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2009 წლის 15 მაისი № 268-1.3-2462

წინამდებარე სფანდარტის სრული ან ნაწილობრივი აღწარმოება, ტირაჟირება და გავრცელება საქართველოს სფანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე არ დაიშვება

EUROPEAN STANDARD

**EN 1996-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2006

ICS 91.010.30; 91.080.30

Supersedes ENV 1996-2:1998

English Version

## Eurocode 6 - Design of masonry structures - Part 2: Design considerations, selection of materials and execution of masonry

Eurocode 6 - Calcul des ouvrages en maçonnerie - Partie 2: Conception, choix des matériaux et mise en oeuvre des maçonneries

Eurocode 6 - Bemessung und Konstruktion von Mauerwerksbauten - Teil 2: Planung, Auswahl der Baustoffe und Ausführung von Mauerwerk

This European Standard was approved by CEN on 24 November 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents	Page
<b>Background of the Eurocode programme.....</b>	<b>4</b>
<b>Status and field of application of Eurocodes.....</b>	<b>5</b>
<b>National Standards implementing Eurocodes .....</b>	<b>6</b>
<b>Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products .....</b>	<b>7</b>
<b>Additional information specific to EN 1996-2.....</b>	<b>7</b>
<b>National annex for EN 1996-2 .....</b>	<b>7</b>
<b>1 General .....</b>	<b>8</b>
<b>1.1 Scope of Part 2 of Eurocode 6.....</b>	<b>8</b>
<b>1.2 Normative references .....</b>	<b>9</b>
<b>1.3 Assumptions .....</b>	<b>9</b>
<b>1.4 Distinction between principles and application rules.....</b>	<b>9</b>
<b>1.5 Definitions.....</b>	<b>10</b>
<b>1.5.1 General .....</b>	<b>10</b>
<b>1.5.2 Terms and definitions relating to communication of design .....</b>	<b>10</b>
<b>1.5.3 Terms relating to climatic factors and exposure conditions.....</b>	<b>10</b>
<b>1.5.4 Term relating to masonry units.....</b>	<b>10</b>
<b>1.5.5 Other terms .....</b>	<b>11</b>
<b>1.6 Symbols.....</b>	<b>11</b>
<b>2 Design Considerations .....</b>	<b>11</b>
<b>2.1 Factors affecting the durability of masonry.....</b>	<b>11</b>
<b>2.1.1 General .....</b>	<b>11</b>
<b>2.1.2 Classification of environmental conditions .....</b>	<b>11</b>
<b>2.1.2.1 Micro conditions of exposure.....</b>	<b>11</b>
<b>2.1.2.2 Climatic factors (macro conditions of exposure) .....</b>	<b>12</b>
<b>2.1.3 Aggressive chemical environments .....</b>	<b>12</b>
<b>2.2 Selection of materials.....</b>	<b>13</b>
<b>2.2.1 General .....</b>	<b>13</b>
<b>2.2.2 Masonry units .....</b>	<b>13</b>
<b>2.2.3 Masonry mortar and concrete infill.....</b>	<b>14</b>
<b>2.2.3.1 General .....</b>	<b>14</b>
<b>2.2.3.2 Selection of factory made masonry mortar and concrete infill .....</b>	<b>14</b>
<b>2.2.3.3 Selection of site-made masonry mortar and concrete infill .....</b>	<b>14</b>
<b>2.2.4 Ancillary components and reinforcement .....</b>	<b>15</b>
<b>2.3 Masonry .....</b>	<b>15</b>
<b>2.3.1 Detailing.....</b>	<b>15</b>
<b>2.3.2 Joint finishes.....</b>	<b>15</b>
<b>2.3.3 Masonry movement .....</b>	<b>15</b>
<b>2.3.4 Movement joints .....</b>	<b>16</b>

<b>2.3.4.1</b>	<b>General .....</b>	<b>16</b>
<b>2.3.4.2</b>	<b>Spacing of movement joints.....</b>	<b>17</b>
<b>2.3.5</b>	<b>Permissible deviations.....</b>	<b>17</b>
<b>2.3.6</b>	<b>Resistance to moisture penetration through external walls .....</b>	<b>18</b>
<b>3</b>	<b>Execution.....</b>	<b>18</b>
<b>3.1</b>	<b>General .....</b>	<b>18</b>
<b>3.2</b>	<b>Acceptance, handling and storage of materials .....</b>	<b>18</b>
<b>3.2.1</b>	<b>General .....</b>	<b>18</b>
<b>3.2.2</b>	<b>Reinforcement and prestressing materials .....</b>	<b>18</b>
<b>3.3</b>	<b>Preparation of materials .....</b>	<b>19</b>
<b>3.3.1</b>	<b>Site-made mortars and concrete infill .....</b>	<b>19</b>
<b>3.3.1.1</b>	<b>General .....</b>	<b>19</b>
<b>3.3.1.2</b>	<b>Chloride content .....</b>	<b>19</b>
<b>3.3.1.3</b>	<b>Strength of mortar and concrete infill.....</b>	<b>19</b>
<b>3.3.1.4</b>	<b>Admixtures and additions .....</b>	<b>19</b>
<b>3.3.1.5</b>	<b>Gauging .....</b>	<b>19</b>
<b>3.3.1.6</b>	<b>Mixing method and mixing time .....</b>	<b>20</b>
<b>3.3.1.7</b>	<b>Workable life of mortars and concrete infill containing cement .....</b>	<b>20</b>
<b>3.3.1.8</b>	<b>Mixing in cold weather .....</b>	<b>20</b>
<b>3.3.2</b>	<b>Factory made mortars, pre-batched mortars, pre-mixed lime sand mortars and ready mixed concrete infill .....</b>	<b>20</b>
<b>3.4</b>	<b>Permissible deviations.....</b>	<b>21</b>
<b>3.5</b>	<b>Execution of masonry.....</b>	<b>23</b>
<b>3.5.1</b>	<b>General .....</b>	<b>23</b>
<b>3.5.2</b>	<b>Laying masonry units.....</b>	<b>23</b>
<b>3.5.3</b>	<b>Pointing and jointing for masonry other than thin layer masonry .....</b>	<b>24</b>
<b>3.5.3.1</b>	<b>Pointing .....</b>	<b>24</b>
<b>3.5.3.2</b>	<b>Jointing .....</b>	<b>24</b>
<b>3.5.4</b>	<b>Incorporation of damp proof course membranes .....</b>	<b>24</b>
<b>3.5.5</b>	<b>Movement joints .....</b>	<b>24</b>
<b>3.5.6</b>	<b>Incorporation of thermal insulation materials .....</b>	<b>24</b>
<b>3.5.7</b>	<b>Cleaning facing masonry .....</b>	<b>24</b>
<b>3.6</b>	<b>Curing and protective procedures during execution .....</b>	<b>24</b>
<b>3.6.1</b>	<b>General .....</b>	<b>24</b>
<b>3.6.2</b>	<b>Protection against rain.....</b>	<b>25</b>
<b>3.6.3</b>	<b>Protection against freeze/thaw cycling .....</b>	<b>25</b>
<b>3.6.4</b>	<b>Protection against effects of low humidity .....</b>	<b>25</b>
<b>3.6.5</b>	<b>Protection against mechanical damage .....</b>	<b>25</b>
<b>3.6.6</b>	<b>Construction height of masonry.....</b>	<b>25</b>
<b>A.1</b>	<b>Classification .....</b>	<b>26</b>
<b>A.2</b>	<b>Exposure to wetting.....</b>	<b>27</b>
<b>B.1</b>	<b>Selection of masonry units and mortar.....</b>	<b>29</b>
<b>C.1</b>	<b>Exposure classes .....</b>	<b>31</b>
<b>C.2</b>	<b>Selection of materials .....</b>	<b>31</b>

## Foreword

This document EN 1996-2 has been prepared by Technical Committee CEN/TC250 "Structural Eurocodes", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2006, and conflicting national standards shall be withdrawn at the latest by March 2010.

CEN/TC 250 is responsible for all Structural Eurocodes.

This document supersedes ENV 1996-2:1998

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

## Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on Article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement<sup>1)</sup> between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (eg. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC,

---

<sup>1)</sup> Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of parts:

EN 1990, *Eurocode: Basis of structural design*

EN 1991, *Eurocode 1: Actions on structures.*

EN 1992, *Eurocode 2: Design of concrete structures.*

EN 1993, *Eurocode 3: Design of steel structures.*

EN 1994, *Eurocode 4: Design of composite steel and concrete structures.*

EN 1995, *Eurocode 5: Design of timber structures.*

EN 1996, *Eurocode 6: Design of masonry structures.*

EN 1997, *Eurocode 7: Geotechnical design.*

EN 1998, *Eurocode 8: Design of structures for earthquake resistance.*

EN 1999, *Eurocode 9: Design of aluminium structures.*

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

## **Status and field of application of Eurocodes**

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 — Mechanical resistance and stability — and Essential Requirement N°2 — Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs).

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents<sup>2)</sup> referred to in Article 12 of the CPD, although they are of a

---

<sup>2)</sup> According to Article 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

different nature from harmonised product standards<sup>3)</sup>. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

## National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National Annex (informative).

The National Annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, ie.:

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic etc), eg. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode

and it may also contain:

- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

---

<sup>3)</sup> According to Article 12 of the CPD the interpretative documents shall:

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e. g. methods of calculation and of proof, technical rules for project design, etc.;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals. The Eurocodes, *de facto*, play a similar role in the field of ER 1 and a part of ER 2.

## **Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products**

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works<sup>4)</sup> Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

This European Standard is part of EN 1996 which comprises the following Parts:

Part 1-1: General - *Rules for reinforced and unreinforced masonry*

Part 1-2: General rules - *Structural fire design*.

Part 2: *Design considerations, selection of materials and execution of masonry.*

Part 3: *Simplified calculation methods for unreinforced masonry structures*

EN 1996-2 describes the principles and requirements for design considerations, selection of materials and execution of masonry structures.

For the design of new structures, EN 1996-1-1 is intended to be used, for direct application, together with ENs 1990, 1991, 1992, 1993, 1994, 1995, 1997, 1998 and 1999.

EN 1996-2 is intended to be used together with EN 1990, EN 1991-1-2, EN 1996-1-1, EN 1996-1-2 and EN 1996-3.

## **Additional information specific to EN 1996-2**

The scope of Eurocode 6 is defined in EN 1996-1-1, and this includes information on the other parts of Eurocode 6.

## **National Annex for EN 1996-2**

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1996-2 should have a National Annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1996-2 through clauses:

- 2.3.4.2(2)
- 3.5.3.1(1)

---

<sup>4)</sup> see Article 3.3 and Article 12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.