

საქართველოს ეროვნული სტანდარტი

პროექტი 5: ხის კონსტრუქციების დაპროექტება.
ნაწილი 1-1: გოგალი – ერთიანი წესები და წესები მშენებლობებისთვის

საქართველოს სტანდარტების, ტექნიკური რეგლამენტების
და მეტროლოგიის ეროვნული სააგენტო
თბილისი

საინფორმაციო მონაცემები

1 შეეუფავებულა საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეგროლოგიის ეროვნული სააგენტოს სტანდარტებისა და ტექნიკური რეგლამენტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედო საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეგროლოგიის ეროვნული სააგენტოს 2009 წლის 8 მაისის №24 “ს” განკარგულებით

3 მიღებულია გარეკანის მეთოდით სტანდარტიზაციის საერთაშორისო ორგანიზაციის სტანდარტი ISO 26 1995-1-1 : 2004 “**ვეროკოდი 5: ხის კონსტრუქციების დაპროექტება. ნაწილი 1-1: მოგადი – ერთიანი წესები და წესები მშენებლობებისთვის**”

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეგროლოგიის ეროვნული სააგენტოს რეესტრში: 2009 წლის 15 მაისი №268-1.3-2457

წინამდებარე სტანდარტის სრული ან ნაწილობრივი აღწარმოება, გირაჟირება და გავრცელება საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეგროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე არ დაიშვება

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

English version

Eurocode 5: Design of timber structures - Part 1-1: General - Common rules and rules for buildings

Eurocode 5: Conception et calcul des structures en bois -
Partie 1-1 : Généralités - Règles communes et règles pour
les bâtiments

Eurocode 5: Bemessung und Konstruktion von Holzbauten
- Teil 1-1: Allgemeines - Allgemeine Regeln und Regeln für
den Hochbau

This European Standard was approved by CEN on 16 April 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents	Page
Foreword	7
SECTION 1 GENERAL	10
1.1 SCOPE	10
1.1.1 <i>Scope of EN 1995</i>	10
1.1.2 <i>Scope of EN 1995-1-1</i>	10
1.2 NORMATIVE REFERENCES	11
1.3 ASSUMPTIONS	13
1.4 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	13
1.5 TERMS AND DEFINITIONS	13
1.5.1 <i>General</i>	13
1.5.2 <i>Additional terms and definitions used in this present standard</i>	13
1.6 SYMBOLS USED IN EN 1995-1-1	14
SECTION 2 BASIS OF DESIGN	19
2.1 REQUIREMENTS	19
2.1.1 <i>Basic requirements</i>	19
2.1.2 <i>Reliability management</i>	19
2.1.3 <i>Design working life and durability</i>	19
2.2 PRINCIPLES OF LIMIT STATE DESIGN	19
2.2.1 <i>General</i>	19
2.2.2 <i>Ultimate limit states</i>	19
2.2.3 <i>Serviceability limit states</i>	20
2.3 BASIC VARIABLES	21
2.3.1 <i>Actions and environmental influences</i>	21
2.3.1.1 <i>General</i>	21
2.3.1.2 <i>Load-duration classes</i>	21
2.3.1.3 <i>Service classes</i>	22
2.3.2 <i>Materials and product properties</i>	22
2.3.2.1 <i>Load-duration and moisture influences on strength</i>	22
2.3.2.2 <i>Load-duration and moisture influences on deformations</i>	22
2.4 VERIFICATION BY THE PARTIAL FACTOR METHOD	24
2.4.1 <i>Design value of material property</i>	24
2.4.2 <i>Design value of geometrical data</i>	25
2.4.3 <i>Design resistances</i>	25
2.4.4 <i>Verification of equilibrium (EQU)</i>	25
SECTION 3 MATERIAL PROPERTIES	26
3.1 GENERAL	26
3.1.1 <i>Strength and stiffness parameters</i>	26
3.1.2 <i>Stress-strain relations</i>	26
3.1.3 <i>Strength modification factors for service classes and load-duration classes</i>	26
3.1.4 <i>Deformation modification factors for service classes</i>	26
3.2 SOLID TIMBER	26
3.3 GLUED LAMINATED TIMBER	27
3.4 LAMINATED VENEER LUMBER (LVL)	28
3.5 WOOD-BASED PANELS	29
3.6 ADHESIVES	29
3.7 METAL FASTENERS	29
SECTION 4 DURABILITY	30
4.1 RESISTANCE TO BIOLOGICAL ORGANISMS	30
4.2 RESISTANCE TO CORROSION	30
SECTION 5 BASIS OF STRUCTURAL ANALYSIS	31
5.1 GENERAL	31

5.2	MEMBERS	31
5.3	CONNECTIONS	31
5.4	ASSEMBLIES	32
5.4.1	<i>General</i>	32
5.4.2	<i>Frame structures</i>	32
5.4.3	<i>Simplified analysis of trusses with punched metal plate fasteners</i>	33
5.4.4	<i>Plane frames and arches</i>	34
SECTION 6 ULTIMATE LIMIT STATES		36
6.1	DESIGN OF CROSS-SECTIONS SUBJECTED TO STRESS IN ONE PRINCIPAL DIRECTION	36
6.1.1	<i>General</i>	36
6.1.2	<i>Tension parallel to the grain</i>	36
6.1.3	<i>Tension perpendicular to the grain</i>	36
6.1.4	<i>Compression parallel to the grain</i>	36
6.1.5	<i>Compression perpendicular to the grain</i>	36
6.1.6	<i>Bending</i>	41
6.1.7	<i>Shear</i>	41
6.1.8	<i>Torsion</i>	42
6.2	DESIGN OF CROSS-SECTIONS SUBJECTED TO COMBINED STRESSES	43
6.2.1	<i>General</i>	43
6.2.2	<i>Compression stresses at an angle to the grain</i>	43
6.2.3	<i>Combined bending and axial tension</i>	43
6.2.4	<i>Combined bending and axial compression</i>	43
6.3	STABILITY OF MEMBERS	44
6.3.1	<i>General</i>	44
6.3.2	<i>Columns subjected to either compression or combined compression and bending</i>	44
6.3.3	<i>Beams subjected to either bending or combined bending and compression</i>	45
6.4	DESIGN OF CROSS-SECTIONS IN MEMBERS WITH VARYING CROSS-SECTION OR CURVED SHAPE	47
6.4.1	<i>General</i>	47
6.4.2	<i>Single tapered beams</i>	47
6.4.3	<i>Double tapered, curved and pitched cambered beams</i>	48
6.5	NOTCHED MEMBERS	52
6.5.1	<i>General</i>	52
6.5.2	<i>Beams with a notch at the support</i>	52
6.6	SYSTEM STRENGTH	53
SECTION 7 SERVICEABILITY LIMIT STATES		55
7.1	JOINT SLIP	55
7.2	LIMITING VALUES FOR DEFLECTIONS OF BEAMS	55
7.3	VIBRATIONS	56
7.3.1	<i>General</i>	56
7.3.2	<i>Vibrations from machinery</i>	56
7.3.3	<i>Residential floors</i>	56
SECTION 8 CONNECTIONS WITH METAL FASTENERS		59
8.1	GENERAL	59
8.1.1	<i>Fastener requirements</i>	59
8.1.2	<i>Multiple fastener connections</i>	59
8.1.3	<i>Multiple shear plane connections</i>	59
8.1.4	<i>Connection forces at an angle to the grain</i>	59
8.1.5	<i>Alternating connection forces</i>	61
8.2	LATERAL LOAD-CARRYING CAPACITY OF METAL DOWEL-TYPE FASTENERS	61
8.2.1	<i>General</i>	61
8.2.2	<i>Timber-to-timber and panel-to-timber connections</i>	61
8.2.3	<i>Steel-to-timber connections</i>	63
8.3	NAILED CONNECTIONS	65
8.3.1	<i>Laterally loaded nails</i>	65

8.3.1.1	General	65
8.3.1.2	Nailed timber-to-timber connections	67
8.3.1.3	Nailed panel-to-timber connections	70
8.3.1.4	Nailed steel-to-timber connections	70
8.3.2	<i>Axially loaded nails</i>	70
8.3.3	<i>Combined laterally and axially loaded nails</i>	72
8.4	STAPLED CONNECTIONS	72
8.5	BOLTED CONNECTIONS	74
8.5.1	<i>Laterally loaded bolts</i>	74
8.5.1.1	General and bolted timber-to-timber connections	74
8.5.1.2	Bolted panel-to-timber connections	75
8.5.1.3	Bolted steel-to-timber connections	76
8.5.2	<i>Axially loaded bolts</i>	76
8.6	DOWELLED CONNECTIONS	76
8.7	SCREWED CONNECTIONS	77
8.7.1	<i>Laterally loaded screws</i>	77
8.7.2	<i>Axially loaded screws</i>	77
8.7.3	<i>Combined laterally and axially loaded screws</i>	78
8.8	CONNECTIONS MADE WITH PUNCHED METAL PLATE FASTENERS	78
8.8.1	<i>General</i>	78
8.8.2	<i>Plate geometry</i>	78
8.8.3	<i>Plate strength properties</i>	79
8.8.4	<i>Plate anchorage strengths</i>	80
8.8.5	<i>Connection strength verification</i>	80
8.8.5.1	Plate anchorage capacity	80
8.8.5.2	Plate capacity	82
8.9	SPLIT RING AND SHEAR PLATE CONNECTORS	83
8.10	TOOTHED-PLATE CONNECTORS	86
SECTION 9 COMPONENTS AND ASSEMBLIES		89
9.1	COMPONENTS	89
9.1.1	<i>Glued thin-webbed beams</i>	89
9.1.2	<i>Glued thin-flanged beams</i>	91
9.1.3	<i>Mechanically jointed beams</i>	92
9.1.4	<i>Mechanically jointed and glued columns</i>	93
9.2	ASSEMBLIES	93
9.2.1	<i>Trusses</i>	93
9.2.2	<i>Trusses with punched metal plate fasteners</i>	94
9.2.3	<i>Roof and floor diaphragms</i>	95
9.2.3.1	General	95
9.2.3.2	Simplified analysis of roof and floor diaphragms.	95
9.2.4	<i>Wall diaphragms</i>	96
9.2.4.1	General	96
9.2.4.2	Simplified analysis of wall diaphragms – Method A	96
9.2.4.3	Simplified analysis of wall diaphragms – Method B	99
9.2.4.3.1	Construction of walls and panels to meet the requirements of the simplified analysis	99
9.2.4.3.2	Design procedure	100
9.2.5	<i>Bracing</i>	102
9.2.5.1	General	102
9.2.5.2	Single members in compression	102
9.2.5.3	Bracing of beam or truss systems	103
SECTION 10 STRUCTURAL DETAILING AND CONTROL		105
10.1	GENERAL	105
10.2	MATERIALS	105
10.3	GLUED JOINTS	105
10.4	CONNECTIONS WITH MECHANICAL FASTENERS	105
10.4.1	<i>General</i>	105
10.4.2	<i>Nails</i>	105
10.4.3	<i>Bolts and washers</i>	105

10.4.4	<i>Dowels</i>	106
10.4.5	<i>Screws</i>	106
10.5	ASSEMBLY	106
10.6	TRANSPORTATION AND ERECTION	106
10.7	CONTROL	107
10.8	SPECIAL RULES FOR DIAPHRAGM STRUCTURES	107
10.8.1	<i>Floor and roof diaphragms</i>	107
10.8.2	<i>Wall diaphragms</i>	108
10.9	SPECIAL RULES FOR TRUSSES WITH PUNCHED METAL PLATE FASTENERS	108
10.9.1	<i>Fabrication</i>	108
10.9.2	<i>Erection</i>	108
ANNEX A (INFORMATIVE): BLOCK SHEAR AND PLUG SHEAR FAILURE AT MULTIPLE DOWEL-TYPE STEEL-TO-TIMBER CONNECTIONS		110
ANNEX B (INFORMATIVE): MECHANICALLY JOINTED BEAMS		112
B.1	SIMPLIFIED ANALYSIS	112
B.1.1	<i>Cross-sections</i>	112
B.1.2	<i>Assumptions</i>	112
B.1.3	<i>Spacings</i>	112
B.1.4	<i>Deflections resulting from bending moments</i>	112
B.2	EFFECTIVE BENDING STIFFNESS	114
B.3	NORMAL STRESSES	114
B.4	MAXIMUM SHEAR STRESS	114
B.5	FASTENER LOAD	114
ANNEX C (INFORMATIVE): BUILT-UP COLUMNS		116
C.1	GENERAL	116
C.1.1	<i>Assumptions</i>	116
C.1.2	<i>Load-carrying capacity</i>	116
C.2	MECHANICALLY JOINTED COLUMNS	116
C.2.1	<i>Effective slenderness ratio</i>	116
C.2.2	<i>Load on fasteners</i>	116
C.2.3	<i>Combined loads</i>	117
C.3	SPACED COLUMNS WITH PACKS OR GUSSETS	117
C.3.1	<i>Assumptions</i>	117
C.3.2	<i>Axial load-carrying capacity</i>	118
C.3.3	<i>Load on fasteners, gussets or packs</i>	119
C.4	LATTICE COLUMNS WITH GLUED OR NAILED JOINTS	119
C.4.1	<i>Assumptions</i>	119
C.4.2	<i>Load-carrying capacity</i>	120
C.4.3	<i>Shear forces</i>	122
ANNEX D (INFORMATIVE): BIBLIOGRAPHY		123

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.

Foreword

This European Standard EN 1995-1-1 has been prepared by Technical Committee CEN/TC250 “Structural Eurocodes”, the Secretariat of which is held by BSI.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by May 2005, and conflicting national standards shall be withdrawn at the latest by March 2010.

This European Standard supersedes ENV 1995-1-1:1993.

CEN/TC250 is responsible for all Structural Eurocodes.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products – CPD – and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990:2002	Eurocode: Basis of Structural Design
EN 1991	Eurocode 1: Actions on structures
EN 1992	Eurocode 2: Design of concrete structures
EN 1993	Eurocode 3: Design of steel structures
EN 1994	Eurocode 4: Design of composite steel and concrete structures
EN 1995	Eurocode 5: Design of timber structures
EN 1996	Eurocode 6: Design of masonry structures
EN 1997	Eurocode 7: Geotechnical design

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

EN 1995-1-1:2004 (E)

EN 1998	Eurocode 8: Design of structures for earthquake resistance
EN 1999	Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 – Mechanical resistance and stability – and Essential Requirement N°2 – Safety in case of fire ;
- as a basis for specifying contracts for construction works and related engineering services ;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex.

The National annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e.:

- values and/or classes where alternatives are given in the Eurocode;
- values to be used where a symbol only is given in the Eurocode;
- country specific data (geographical, climatic, etc.), e.g. snow map;

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall:
give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary ;
indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc. ;
serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

- the procedure to be used where alternative procedures are given in the Eurocode;
- decisions on the application of informative annexes;
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1995-1-1

EN 1995 describes the Principles and requirements for safety, serviceability and durability of timber structures. It is based on the limit state concept used in conjunction with a partial factor method.

For the design of new structures, EN 1995 is intended to be used, for direct application, together with EN 1990:2002 and relevant Parts of EN 1991.

Numerical values for partial factors and other reliability parameters are recommended as basic values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and of quality management applies. When EN 1995-1-1 is used as a base document by other CEN/TCs the same values need to be taken.

National annex for EN 1995-1-1

This standard gives alternative procedures, values and recommendations with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1995-1-1 should have a National annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1995-1-1 through clauses:

2.3.1.2(2)P	Assignment of loads to load-duration classes;
2.3.1.3(1)P	Assignment of structures to service classes;
2.4.1(1)P	Partial factors for material properties;
6.4.3(8)	Double tapered, curved and pitched cambered beams;
7.2(2)	Limiting values for deflections;
7.3.3(2)	Limiting values for vibrations;
8.3.1.2(4)	Nailed timber-to-timber connections: Rules for nails in end grain;
8.3.1.2(7)	Nailed timber-to-timber connections: Species sensitive to splitting;
9.2.4.1(7)	Design method for wall diaphragms;
9.2.5.3(1)	Bracing modification factors for beam or truss systems;
10.9.2(3)	Erection of trusses with punched metal plate fasteners: Maximum bow;
10.9.2(4)	Erection of trusses with punched metal plate fasteners: Maximum deviation.

⁴ see Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.