საქართველოს ეროვნული სტანდარტი

აკუსტიკა. ბგერის შთანთქმის გაზომვა სარევერბერაციო ოთახში

საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტო თბილისი სსტ ისო 354: 2007

საინფორმაციო მონაცემები

1 შემუშავებულია საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს სტანდარტებისა და ტექნიკური რეგლამენტების დეპარტამენტის მიერ

2 დამტკიცებულია და შემოღებულია სამოქმედოდ საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს 2007 წლის 1 ოქტომბრის #47 განკარგულებით

3 მიღებულია გარეკანის მეთოდით სტანდარტიზაციის საერთაშორისო ორგანიზაციის სტანდარტი ისო 354:2003 "აკუსტიკა. ბგერის შთანთქმის გაზომვა სარევერბერაციო ოთახში"

4 პირველად

5 რეგისტრირებულია საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 2007 წლის 27 სექტემბრის #268-1.3-0534

წინამდებარე სტანდარტის სრული ან ნაწილობრივი აღწარმოება, ტირაჟირება და გავრცელება საქართველოს სტანდარტების, ტექნიკური რეგლამენტების და მეტროლოგიის ეროვნული სააგენტოს ნებართვის გარეშე არ დაიშვება

INTERNATIONAL STANDARD

ISO 354

Second edition 2003-05-15

Acoustics — Measurement of sound absorption in a reverberation room

Acoustique — Mesurage de l'absorption acoustique en salle réverbérante



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents Page Forewordiv

Forew	ord	. iv
Introd	uction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	3
5	Frequency range	3
6 6.1 6.2 6.3	Test arrangementReverberation room and diffusion of sound field	3 3
7 7.1 7.2 7.3 7.4	Measurement of reverberation time	5 6 7
8 8.1 8.2 8.3	Expression of results Method of calculation Precision Presentation of results	9 .11
9	Test report	13
Annex	A (normative) Diffusivity of the sound field in the reverberation room	14
Annex	B (normative) Test specimen mountings for sound absorption tests	15
	graphy	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 354 was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 2, *Building acoustics*.

This second edition cancels and replaces the first edition (ISO 354:1985), which has been technically revised, as follows:

- an integrated impulse response method has been introduced;
- the requirement to measure at least 36 decays has been added;
- mounting conditions according to ISO 354:1985:Amd.1:1997 and mounting conditions Type B and Type J have been introduced.

Introduction

When a sound source operates in an enclosed space, the level to which reverberant sound builds up, and the subsequent decay of reverberant sound when the source is stopped, are governed by the sound-absorbing characteristics of the boundary surfaces, the air filling the space, and objects within the space. In general, the fraction of the incident sound power absorbed at a surface depends upon the angle of incidence. In order to relate the reverberation time of an auditorium, office, workshop, etc., to the noise reduction that would be effected by an absorbing treatment, knowledge of the sound-absorbing characteristics of the surfaces, usually in the form of a suitable average over all angles of incidence, is required. Since the distribution of sound waves in typical enclosures includes a wide and largely unpredictable range of angles, a uniform distribution is taken as the basic condition for the purposes of standardization. If, in addition, the sound intensity is independent of the location within the space, the sound distribution is called a diffuse sound field, and the sounds reaching a room surface are said to be at random incidence.

The sound field in a properly designed reverberation room closely approximates a diffuse field. Hence, sound absorption measured in a reverberation room closely approximates the sound absorption that would be measured under the basic conditions assumed for standardization.

The purpose of this International Standard is to promote uniformity in the methods and conditions of measurement of sound absorption in reverberation rooms.