

## საქართველოს სტანდარტი

სსკ: 91.010.30; 93.040

ევროკოდი 1- მოქმედებები კონსტრუქციებზე ნაწილი 2: ტრანსპორტის  
მოძრაობით გამოწვეული დატვირთვები ხიდებზე და სხვა სამოქალაქო  
საინჟინრო სამუშაოებზე

# სსტ ენ 1991-2:2023/2023

## საინფორმაციო მონაცემები

1 მიღებულია და დაშვებულია სამოქმედოდ: სსიპ-საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს გენერალური დირექტორის 28/12/2023 წლის № 109 განკარგულებით

2 მიღებულია „თავფურცლის“ თარგმნის მეთოდით: სტანდარტიზაციის ევროპული კომიტეტის (ენ) სტანდარტი ენ 1991-2:2023 „ევროკოდი 1- მოქმედებები კონსტრუქციებზე ნაწილი 2: ტრანსპორტის მოძრაობით გამოწვეული დატვირთვები ხიდებზე და სხვა სამოქალაქო საინჟინრო სამუშაოებზე“.

3 ნაცვლად ენ 1991-2:2003

4 რეგისტრირებულია: სსიპ-საქართველოს სტანდარტებისა და მეტროლოგიის ეროვნული სააგენტოს რეესტრში: 28/12/2023 წლის №268-1.3-032880

წინამდებარე სტანდარტის ნებისმიერი ფორმით გავრცელება სააგენტოს ნებართვის გარეშე აკრძალულია

EUROPEAN STANDARD

EN 1991-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2023

ICS 91.010.30; 93.040

Supersedes EN 1991-2:2003

English Version

## Eurocode 1 - Actions on structures - Part 2: Traffic loads on bridges and other civil engineering works

Eurocode 1 - Actions sur les structures - Partie 2:  
Actions dues au trafic sur les ponts et autres ouvrages  
du génie civil

Eurocode 1 - Einwirkungen auf Tragwerke - Teil 2:  
Verkehrslasten auf Brücken

This European Standard was approved by CEN on 23 July 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

საინფორმაციო ნაწილი. სრული ტექსტის სახსრავად შეიძინეთ სტანდარტი.

Contents

Page

European foreword ..... 6

Introduction ..... 7

1 Scope..... 11

2 Normative references..... 11

3 Terms and definitions ..... 12

3.1 Terms and definitions ..... 12

3.2 Symbols and abbreviations ..... 15

4 Classification of actions ..... 21

4.1 General..... 21

4.2 Variable actions..... 21

4.3 Accidental actions..... 23

5 Design situations..... 23

5.1 General..... 23

5.2 Simultaneity of traffic loads ..... 23

6 Road traffic actions and other actions specifically for road bridges..... 24

6.1 Field of application..... 24

6.2 Representation of actions ..... 24

6.2.1 Models of road traffic loads..... 24

6.2.2 Loading classes ..... 25

6.2.3 Divisions of the carriageway into notional lanes ..... 25

6.2.4 Location and numbering of the lanes for design ..... 26

6.2.5 Application of the load models on the individual lanes..... 27

6.3 Vertical loads — Characteristic values ..... 27

6.3.1 General..... 27

6.3.2 Load Model 1..... 28

6.3.3 Load Model 2..... 30

6.3.4 Load Model 3 (special vehicles)..... 31

6.3.5 Load Model 4 (crowd loading) ..... 31

6.3.6 Dispersal of concentrated loads ..... 32

6.4 Horizontal forces — characteristic values..... 33

6.4.1 Braking and acceleration forces..... 33

6.4.2 Centrifugal and other transverse forces..... 33

6.5 Groups of traffic loads on road bridges (multi component actions) ..... 34

6.5.1 Characteristic values in persistent design situations..... 34

6.5.2 Other representative values ..... 36

6.5.3 Groups of loads in transient design situations..... 36

6.6 Fatigue load models ..... 36

6.6.1 General..... 36

6.6.2 Dynamic amplification factor ..... 37

6.6.3 Fatigue Load Models location for global and local effects..... 38

6.6.4 Traffic category on the bridge..... 39

6.6.5 Fatigue Load Model 1 (similar to LM1) ..... 39

6.6.6 Fatigue Load Model 2 (set of “frequent” lorries) ..... 40

6.6.7 Fatigue Load Model 3 (single vehicle model) ..... 41

6.6.8 Fatigue Load Model 4 (set of “standard” lorries) ..... 41

6.6.9 Fatigue Load Model 5 (based on recorded road traffic data) ..... 44

საინფორმაციო ნაწილი. სრული ტექსტის სახსრავად შეიძინეთ სტანდარტი.

|       |   |    |
|-------|---|----|
| 6.7   | Collision and other actions for accidental design situations.....   | 44 |
| 6.7.1 | General .....   | 44 |
| 6.7.2 | Collision forces from vehicles under the bridge.....  | 44 |
| 6.7.3 | Actions from vehicles on the bridge .....   | 44 |
| 6.8   | Actions on pedestrian parapets.....   | 48 |
| 6.9   | Load model for geotechnical structures — characteristic values.....   | 48 |
| 6.9.1 | General .....   | 48 |
| 6.9.2 | Distributed vertical loads.....   | 49 |
| 6.9.3 | Simplified vertical loads allowing for redistribution.....  | 50 |
| 6.9.4 | Horizontal force for abutments.....   | 50 |
| 7     | Actions on footways, cycle ways and footbridges .....   | 51 |
| 7.1   | Field of application .....  | 51 |
| 7.2   | Representation of actions.....  | 52 |
| 7.2.1 | Models of the loads.....  | 52 |
| 7.2.2 | Application of the load models .....  | 52 |
| 7.3   | Static models for vertical loads — characteristic values.....   | 52 |
| 7.3.1 | General .....   | 52 |
| 7.3.2 | Uniformly distributed load .....  | 52 |
| 7.3.3 | Concentrated load .....   | 53 |
| 7.3.4 | Service vehicle .....   | 53 |
| 7.4   | Static model for horizontal forces — characteristic values (footbridges only) .....                                     | 53 |
| 7.5   | Groups of traffic loads (footbridges only) .....  | 54 |
| 7.6   | Collision and other actions for accidental design situations (footbridges only).....                                    | 54 |
| 7.6.1 | General .....   | 54 |
| 7.6.2 | Collision forces from traffic under the footbridge.....   | 54 |
| 7.6.3 | Accidental presence of vehicles on the footbridge.....  | 55 |
| 7.7   | Dynamic models of pedestrian loads (footbridges only) .....   | 55 |
| 7.8   | Actions on parapets .....   | 56 |
| 7.9   | Load model for abutments and walls adjacent to bridges.....   | 56 |
| 8     | Rail traffic actions and other actions specifically for railway bridges .....   | 56 |
| 8.1   | Field of application .....  | 56 |
| 8.2   | Representation of actions — nature of rail traffic loads .....  | 57 |
| 8.3   | Vertical loads — load models, characteristic values (static effects) and eccentricity and distribution of loading ..... | 57 |
| 8.3.1 | General .....   | 57 |
| 8.3.2 | Load Model 71.....  | 58 |
| 8.3.3 | Load Models SW/0 and SW/2 .....   | 59 |
| 8.3.4 | Load Model “unloaded train” .....   | 60 |
| 8.3.5 | Eccentricity of vertical loads (Load Models 71 and SW/0).....   | 60 |
| 8.3.6 | Distribution of point loads or axle loads by the rails, sleepers and ballast .....                                      | 61 |
| 8.3.7 | Actions for non-public footways .....   | 65 |
| 8.4   | Dynamic effects (including resonance) .....   | 65 |
| 8.4.1 | General .....   | 65 |
| 8.4.2 | Factors influencing dynamic behaviour.....  | 65 |
| 8.4.3 | General design rules.....   | 66 |
| 8.4.4 | Conditions for requiring a dynamic analysis.....  | 66 |
| 8.4.5 | Dynamic factor $\Phi$ ( $\Phi_2$ , $\Phi_3$ ) .....   | 69 |
| 8.4.6 | Dynamic analysis .....  | 74 |
| 8.5   | Horizontal forces — characteristic values .....   | 84 |
| 8.5.1 | Centrifugal forces .....  | 84 |
| 8.5.2 | Nosing force .....  | 89 |
| 8.5.3 | Actions due to traction and braking .....   | 89 |

8.5.4 Combined response of structure and track to variable actions..... 91

8.6 Aerodynamic actions from passing trains ..... 103

8.6.1 General..... 103

8.6.2 Simple vertical surfaces parallel to the track (e.g. noise barriers) ..... 104

8.6.3 Simple horizontal surfaces above the track (e.g. overhead protective structures) 110

8.6.4 Simple horizontal surfaces adjacent to the track (e.g. platform canopies with no vertical wall)..... 112

8.6.5 Multiple-surface structures alongside the track with vertical and horizontal or inclined surfaces (e.g. bent noise barriers, platform canopies with vertical walls etc.) ..... 113

8.6.6 Surfaces enclosing the structure gauge of the tracks over a limited length (up to 20 m) (horizontal surface above the tracks and at least one vertical wall, e.g. scaffolding, temporary constructions)..... 114

8.7 Derailment and other actions for railway bridges ..... 114

8.7.1 General - Derailment..... 114

8.7.2 Derailment actions from rail traffic on a railway bridge ..... 115

8.7.3 Derailment under or adjacent to a structure and other actions for Accidental Design Situations ..... 116

8.7.4 Other actions ..... 117

8.8 Further application rules for traffic loads on railway bridges..... 117

8.8.1 General..... 117

8.8.2 Groups of Loads — Characteristic values of the multicomponent action..... 118

8.8.3 Groups of Loads — Other representative values of the multicomponent actions ... 121

8.8.4 Traffic loads in Transient Design Situations..... 121

8.9 Traffic loads for fatigue ..... 122

8.10 Static load models for geotechnical structures — characteristic values..... 123

8.10.1 General..... 123

8.10.2 Distributed vertical loads ..... 123

8.10.3 Simplified vertical loads allowing for redistribution ..... 124

Annex A (informative) Models of special vehicles for road bridges..... 126

A.1 Use of this annex ..... 126

A.2 Scope and field of application ..... 126

A.3 Basic models of special vehicles..... 126

A.4 Application of special vehicle load models on the carriageway ..... 129

Annex B (informative) Fatigue life assessment for road bridges Assessment method based on recorded traffic..... 132

B.1 Use of this annex ..... 132

B.2 Scope and field of application ..... 132

B.3 Fatigue life assessment for road bridges..... 132

Annex C (normative) Dynamic factors  $1 + \varphi$  for Real Trains ..... 137

C.1 Use of this annex ..... 137

C.2 Scope and field of application ..... 137

C.3 Dynamic factors for Real Trains..... 137

Annex D (normative) Basis for the fatigue assessment of railway structures..... 139

D.1 Use of this annex ..... 139

საინფორმაციო ნაწილი. სრული ტექსტის სახსრავად შეიძინეთ სტანდარტი.

|   |   |     |
|---|---|-----|
| D.2   | Scope and field of application .....                                    | 139 |
| D.3   | Assumptions for fatigue actions.....                                    | 139 |
| D.4   | General design method.....  | 140 |
| D.5   | Train types for fatigue .....   | 140 |
| Annex E (informative) Limits of validity of Load Model HSLM.....                          |   | 146 |
| E.1   | Use of this annex .....   | 146 |
| E.2   | Scope and field of application .....                                    | 146 |
| E.3   | Limits of validity of Load Model HSLM.....                              | 146 |
| E.4   | Dynamic train signature .....   | 148 |
| Annex F (informative) Load models for rail traffic loads in Transient Design Situations . |   | 150 |
| F.1   | Use of this annex .....   | 150 |
| F.2   | Scope and field of application .....                                    | 150 |
| F.3   | Load models for rail traffic loads in Transient Design Situations ..... | 150 |
| Annex G (informative) Dynamic load models for footbridges.....                            |   | 151 |
| G.1   | Use of this annex .....   | 151 |
| G.2   | Scope and field of application .....                                    | 151 |
| G.3   | Traffic classes.....  | 151 |
| G.4   | Harmonic load models for pedestrian stream .....                        | 152 |
| G.5   | Harmonic load models for pedestrians .....                              | 154 |
| G.6   | Harmonic load model for single jogger or group of joggers .....         | 154 |
| G.7   | Harmonic load for intentional excitation .....                          | 155 |
| G.8   | Guidance for analysis .....   | 156 |
| G.8.1   | Evaluation of natural frequencies and modes .....                       | 156 |
| G.8.2   | Assessment of mass .....  | 156 |
| G.8.3   | Assessment of stiffness.....  | 156 |
| G.8.4   | Assessment of structural damping.....                                   | 156 |
| G.8.5   | Determination of maximum acceleration.....                              | 157 |
| G.8.6   | Check criteria for lateral lock-in .....                                | 157 |
| G.8.7   | Control of vibration .....  | 158 |
| Bibliography .....  |   | 159 |

## European foreword

This document (EN 1991-2:2023) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI. CEN/TC 250 is responsible for all Structural Eurocodes and has been assigned responsibility for structural and geotechnical design matters by CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2027, and conflicting national standards shall be withdrawn at the latest by March 2028.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1991-2:2003.

The first generation of EN Eurocodes was published between 2002 and 2007. This document forms part of the second generation of the Eurocodes, which have been prepared under Mandate M/515 issued to CEN by the European Commission and the European Free Trade Association.

The Eurocodes have been drafted to be used in conjunction with relevant execution, material, product and test standards, and to identify requirements for execution, materials, products and testing that are relied upon by the Eurocodes.

The Eurocodes recognize the responsibility of each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level through the use of National Annexes.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



## Introduction

### 0.1 Introduction to the Eurocodes

The structural Eurocodes comprise the following standards generally consisting of a number of Parts:

- EN 1990, *Eurocode — Basis of structural and geotechnical design*
- EN 1991, *Eurocode 1 — Actions on structures*
- EN 1992, *Eurocode 2 — Design of concrete structures*
- EN 1993, *Eurocode 3 — Design of steel structures*
- EN 1994, *Eurocode 4 — Design of composite steel and concrete structures*
- EN 1995, *Eurocode 5 — Design of timber structures*
- EN 1996, *Eurocode 6 — Design of masonry structures*
- EN 1997, *Eurocode 7 — Geotechnical design*
- EN 1998, *Eurocode 8 — Design of structures for earthquake resistance*
- EN 1999, *Eurocode 9 — Design of aluminium structures*
- New parts are under development, e.g. Eurocode for design of structural glass.

The Eurocodes are intended for use by designers, clients, manufacturers, constructors, relevant authorities (in exercising their duties in accordance with national or international regulations), educators, software developers, and committees drafting standards for related product, testing and execution standards.

NOTE Some aspects of design are most appropriately specified by relevant authorities or, where not specified, can be agreed on a project-specific basis between relevant parties such as designers and clients. The Eurocodes identify such aspects making explicit reference to relevant authorities and relevant parties.

### 0.2 Introduction to the EN 1991 (all parts)

EN 1991 specifies actions for the structural and geotechnical design of buildings, bridges and other civil engineering works, or parts thereof, including temporary structures, in conjunction with EN 1990 and the other Eurocodes.

EN 1991 does not cover the specific requirements of actions for seismic regions. Provisions related to such requirements are given in EN 1998 (all parts), which complement and are consistent with EN 1991.

EN 1991 is also applicable to existing structures for:

- structural assessment,
- strengthening or repair,
- changes of use.

NOTE 1 In these cases, additional or amended provisions can be necessary.

## EN 1991-2:2023 (E)

EN 1991 is also applicable for the design of structures where materials or actions outside the scope of the other Eurocodes are involved.

NOTE 2 In this case additional or amended provisions can be necessary.

EN 1991 is subdivided in various parts:

- EN 1991-1-1, Eurocode 1 — Actions on structures — Part 1-1: Specific weight of materials, self-weight of construction works and imposed loads for buildings
- EN 1991-1-2, Eurocode 1 — Actions on structures — Part 1-2: Actions on structures exposed to fire
- EN 1991-1-3, Eurocode 1 — Actions on structures — Part 1-3: Snow Loads
- EN 1991-1-4, Eurocode 1 — Actions on structures — Part 1-4: Wind Actions
- EN 1991-1-5, Eurocode 1 — Actions on structures — Part 1-5: Thermal Actions
- EN 1991-1-6, Eurocode 1 — Actions on structures — Part 1-6: Actions during execution
- EN 1991-1-7, Eurocode 1 — Actions on structures — Part 1-7: Accidental actions
- EN 1991-1-8, Eurocode 1 — Actions on structures — Part 1-8: Actions from waves and currents on coastal structures
- EN 1991-1-9, Eurocode 1 — Actions on structures — Part 1-9: Atmospheric icing
- EN 1991-2, Eurocode 1 — Actions on structures — Part 2: Traffic loads on bridges and other civil engineering works
- EN 1991-3, Eurocode 1 — Actions on structures — Part 3: Actions induced by cranes and machines
- EN 1991-4, Eurocode 1 — Actions on structures — Part 4: Silos and tanks

### 0.3 Introduction to EN 1991-2

EN 1991-2 gives design guidance and actions due to road, pedestrian and railway traffic on bridges and civil engineering works together with all relevant Eurocodes.

EN 1991-2 is addressed to all parties involved in construction activities (e.g. public authorities, clients, designers, contractors, producers, consultants, committees drafting standards for structural design and related product, testing and execution standards, etc.).

EN 1991-2 is intended to be used with EN 1990, the other parts of the EN 1991 series and the EN 1992 series to EN 1999 series for the design of structures.

### 0.4 Additional information specific to EN 1991-2

EN 1991-2 defines models of traffic loads for the design of road bridges, footbridges and railway bridges. For the design of new bridges, EN 1991-2 is intended to be used, for direct application, together with the Eurocodes.

The basis for combinations of traffic loads with non-traffic loads are given in EN 1990:2023, A.2.

For road bridges, Load Models 1 and 2, defined in 6.3.2 and 6.3.3, and taken into account with adjustment factors  $\alpha$  and  $\beta$  equal to 1, are deemed to represent the most severe traffic met or expected in practice, other than that of special vehicles requiring permits to travel, on the main routes of European countries.

The traffic on other routes in these countries and in some other countries could be substantially lighter, or better controlled.

For railway bridges, Load Model 71 (together with Load Model SW/0 for continuous structural elements and decks), defined in 8.3.2, represent the static effect of standard rail traffic operating over the standard track gauge or wider than the standard track gauge European railway network. Load Model SW/2, defined in 8.3.3, represents the static effect of heavy rail traffic.

Provision is made for varying the specified loading to cater for variations in the type, volume and maximum weight of rail traffic on different railways, as well as for different qualities of track.

In addition two other load models are given for railway bridges:

- load model “unloaded train” for checking the lateral stability of bridges and
- load model HSLM to represent the loading from passenger trains at speeds exceeding 200 km/h.

Guidance is also given on aerodynamic actions on structures adjacent to railway tracks as a result of passing trains and on other actions from railway infrastructure.

Public authorities could also have responsibilities for the issue of regulations on authorized traffic (especially on vehicle loads) and for delivery and control dispensations when relevant, e.g. for special vehicles.

### 0.5 Verbal forms used in the Eurocodes

The verb “shall” expresses a requirement strictly to be followed and from which no deviation is permitted in order to comply with the Eurocodes.

The verb “should” expresses a highly recommended choice or course of action. Subject to national regulation and/or any relevant contractual provisions, alternative approaches could be used/adopted where technically justified.

The verb “may” expresses a course of action permissible within the limits of the Eurocodes.

The verb “can” expresses possibility and capability; it is used for statements of fact and clarification of concepts.

### 0.6 National Annex for EN 1991-2

National choice is allowed in this document where explicitly stated within notes. National choice includes the selection of values for Nationally Determined Parameters (NDPs).

The national standard implementing EN 1991-2 can have a National Annex containing all national choices to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

When no national choice is given, the default choice given in this document is to be used.

When no national choice is made and no default is given in this document, the choice can be specified by a relevant authority or, where not specified, agreed for a specific project by relevant parties.

National choice is allowed in EN 1991-2 through notes to the following clauses:

|                   |          |                      |          |
|-------------------|----------|----------------------|----------|
| 4.3(1)            | 5.2(4)   | 6.1(1)               | 6.1(2)   |
| 6.2.1(1)          | 6.2.1(2) | 6.2.3(1)             | 6.3.2(4) |
| 6.3.2(9)          | 6.3.3(1) | 6.3.3(4)             | 6.3.4(1) |
| 6.3.5(1)          | 6.4.1(2) | 6.4.1(4)             | 6.4.2(5) |
| 6.5.1 – 2 choices | 6.5.3(1) | 6.6.1(2) – 2 choices | 6.6.2(2) |

**EN 1991-2:2023 (E)**

|                       |                        |                        |                      |
|-----------------------|------------------------|------------------------|----------------------|
| 6.6.4(1)              | 6.6.4(2)               | 6.6.7(4)               | 6.6.8(2)             |
| 6.6.8(4)              | 6.6.8(5)               | 6.6.9(1)               | 6.7.1(2)             |
| 6.7.3.3(2)            | 6.7.3.3(3)             | 6.7.3.3(5) – 2 choices | 6.7.3.3(6)           |
| 6.7.3.4(1)            | 6.8(2)                 | 6.8(3)                 | 6.8(5)               |
| 6.8(6)                | 6.9.1(1)               | 6.9.2(1) – 4 choices   | 6.9.3(1) – 2 choices |
| 7.3.2(1)              | 7.3.3(1)               | 7.3.4(4)               | 7.4(1)               |
| 7.6.3(1)              | 8.1(3)                 | 8.1(7) – 2 choices     | 8.3.2(4)             |
| 8.3.3(4)              | 8.3.6.4(5)             | 8.3.7(4)               | 8.4.4(1)             |
| 8.4.5.2(1)            | 8.4.5.4(1)             | 8.4.5.4(2) – 2 choices | 8.4.6.1.1(2)         |
| 8.4.6.1.1(4)          | 8.4.6.1.1(5)           | 8.4.6.1.1(7)           | 8.4.6.1.2(3)         |
| 8.4.6.2(1)            | 8.4.6.2(2)             | 8.4.6.2(7)             | 8.4.6.2(8)           |
| 8.4.6.2(9)            | 8.4.6.3.1(3)           | 8.4.6.3.2(2)           | 8.4.6.3.3(4)         |
| 8.4.6.3.3(5)          | 8.4.6.5(4)             | 8.4.6.6(4)             | 8.4.6.6(6)           |
| 8.5.1(2)              | 8.5.1(8)               | 8.5.1(13)              | 8.5.3(6)             |
| 8.5.3(10)             | 8.5.3(11)              | 8.5.3(14)              | 8.5.4.1(5)           |
| 8.5.4.3(1)            | 8.5.4.3(2) – 2 choices | 8.5.4.4(3)             | 8.5.4.4(6)           |
| 8.5.4.5               | 8.5.4.5.1(2)           | 8.5.4.5.1(3)           | 8.5.4.6.1(1)         |
| 8.5.4.6.3(1)          | 8.5.4.6.3(4)           | 8.6.1(4)               | 8.6.1(6)             |
| 8.7.2(2)              | 8.7.2(7)               | 8.7.2(8)               | 8.7.4(2)             |
| 8.8.1(1)              | 8.8.1(2)               | 8.8.1(7)               | 8.8.2(3)             |
| 8.8.3.1(1)            | 8.8.3.2(1)             | 8.8.4(1)               | 8.9(2)               |
| 8.9(3)                | 8.9(4)                 | 8.10.1(1)              | 8.10.1(7)            |
| 8.10.2(1) – 3 choices | 8.10.3(1) – 2 choices  | 8.10.3(2)              | C.3(2) – 2 choices   |
| D.4(2)                | D.5(1)                 |                        |                      |

National choice is allowed in EN 1991-2 on the application of the following informative annexes:

|         |         |         |         |
|---------|---------|---------|---------|
| Annex A | Annex B | Annex E | Annex F |
| Annex G |         |         |         |

The National annex can contain, directly or by reference, non-contradictory complementary information for ease of implementation, provided it does not alter any provisions of the Eurocodes.

საინფორმაციო ნაწილი. სრული ტექსტის სანახავად შეიძინეთ სტანდარტი.